

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

*New York State
 Non-Hispanic Whites*

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	36145.0	575.4	2.7	36572.2	456.3	2.1	14135.6	229.0	1.7	14724.0	168.5	1.2
Oral cavity and pharynx	881.6	13.9	0.4	478.4	5.9	0.2	202.4	3.2	0.2	121.8	1.4	0.1
Esophagus	520.8	8.2	0.3	188.6	2.1	0.1	478.8	7.6	0.3	170.4	1.9	0.1
Stomach	758.6	12.2	0.4	488.2	5.4	0.2	377.0	6.1	0.3	293.0	3.2	0.2
Colorectal	4380.6	70.1	0.9	4553.6	51.6	0.7	1574.8	25.6	0.6	1676.0	17.9	0.4
Colon excluding rectum	3066.8	49.3	0.8	3467.2	38.8	0.6	1317.8	21.5	0.5	1444.0	15.3	0.4
Rectum & rectosigmoid	1313.8	20.8	0.5	1086.4	12.8	0.3	257.0	4.1	0.2	232.0	2.6	0.2
Liver / intrahepatic bile duct	474.8	7.5	0.3	244.8	2.8	0.2	370.8	5.9	0.3	226.4	2.5	0.1
Pancreas	914.2	14.6	0.4	1043.6	11.7	0.3	810.6	13.0	0.4	919.2	10.1	0.3
Larynx	489.0	7.7	0.3	138.2	1.8	0.1	149.2	2.4	0.2	44.0	0.5	0.1
Lung and bronchus	5514.4	87.3	1.0	5058.0	60.8	0.8	4199.4	66.9	0.9	3646.2	42.7	0.6
Melanoma of the skin	1101.8	17.6	0.5	847.2	11.5	0.4	244.4	3.9	0.2	168.8	2.1	0.1
Female breast				10670.0	138.9	1.2				2335.4	27.6	0.5
Cervix uteri				508.4	7.3	0.3				163.6	2.2	0.2
Corpus uterus and NOS				2292.2	29.4	0.5				382.6	4.4	0.2
Ovary				1278.6	16.4	0.4				827.8	9.9	0.3
Prostate	10101.6	158.5	1.4				1477.2	25.2	0.6			
Testis	399.2	6.9	0.3				16.8	0.3	0.1			
Urinary bladder (incl. in situ)	2951.4	47.3	0.8	1117.4	13.0	0.3	537.8	8.9	0.3	246.2	2.5	0.1
Kidney and renal pelvis	1271.2	20.0	0.5	782.6	9.7	0.3	341.2	5.5	0.3	223.6	2.5	0.2
Brain and other nervous system	558.8	9.2	0.3	501.4	6.9	0.3	330.6	5.3	0.3	278.8	3.6	0.2
Thyroid	339.6	5.5	0.3	958.4	14.7	0.4	25.4	0.4	0.1	46.6	0.5	0.1
Hodgkin lymphoma	242.6	4.1	0.2	213.4	3.4	0.2	35.0	0.6	0.1	36.6	0.5	0.1
Non-Hodgkin lymphomas	1506.2	24.2	0.5	1453.2	17.8	0.4	596.2	9.7	0.3	568.8	6.3	0.2
Multiple myeloma	430.2	6.9	0.3	368.4	4.2	0.2	254.0	4.1	0.2	228.6	2.5	0.1
Leukemias	1085.2	17.8	0.5	876.8	10.7	0.3	615.2	10.1	0.4	508.2	5.7	0.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York State

Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	44024.0	580.0	2.4	44074.2	441.5	1.9	16980.6	231.5	1.6	17656.8	167.1	1.1
Oral cavity and pharynx	1138.2	14.5	0.4	604.4	6.1	0.2	283.8	3.7	0.2	154.4	1.5	0.1
Esophagus	653.6	8.5	0.3	258.0	2.4	0.1	584.0	7.7	0.3	220.6	2.1	0.1
Stomach	1008.8	13.6	0.4	695.6	6.5	0.2	521.0	7.1	0.3	403.2	3.7	0.2
Colorectal	5178.6	69.4	0.9	5487.2	51.6	0.6	1874.4	25.8	0.5	2022.2	18.3	0.4
Colon excluding rectum	3634.2	49.1	0.7	4184.4	39.1	0.5	1572.2	21.7	0.5	1754.2	15.8	0.3
Rectum & rectosigmoid	1544.4	20.3	0.5	1302.8	12.6	0.3	302.2	4.1	0.2	268.0	2.5	0.1
Liver / intrahepatic bile duct	714.4	9.3	0.3	343.6	3.3	0.2	521.8	6.9	0.3	301.0	2.8	0.1
Pancreas	1087.4	14.5	0.4	1270.6	11.8	0.3	950.8	12.8	0.4	1110.2	10.2	0.3
Larynx	598.2	7.7	0.3	174.8	1.8	0.1	200.2	2.6	0.2	58.4	0.6	0.1
Lung and bronchus	6519.4	86.2	0.9	5810.4	56.9	0.7	4968.4	66.4	0.8	4199.4	40.4	0.6
Melanoma of the skin	1177.8	15.4	0.4	919.2	9.7	0.3	251.8	3.3	0.2	175.4	1.7	0.1
Female breast				12872.2	132.7	1.0				2868.8	27.8	0.5
Cervix uteri				801.0	8.7	0.3				258.4	2.7	0.1
Corpus uterus and NOS				2759.4	28.1	0.5				513.0	4.9	0.2
Ovary				1508.2	15.4	0.4				960.8	9.3	0.3
Prostate	13149.8	171.6	1.3				1918.0	28.2	0.6			
Testis	440.4	5.6	0.2				19.8	0.3	0.0			
Urinary bladder (incl. in situ)	3192.2	43.1	0.7	1238.2	11.7	0.3	585.0	8.4	0.3	287.8	2.5	0.1
Kidney and renal pelvis	1469.6	19.0	0.4	927.4	9.3	0.3	387.4	5.2	0.2	253.0	2.4	0.1
Brain and other nervous system	651.0	8.4	0.3	596.4	6.4	0.2	368.2	4.7	0.2	312.6	3.2	0.2
Thyroid	396.6	5.0	0.2	1198.0	13.6	0.3	28.6	0.4	0.1	58.2	0.5	0.1
Hodgkin lymphoma	299.6	3.8	0.2	258.6	3.0	0.2	42.2	0.5	0.1	41.2	0.4	0.1
Non-Hodgkin lymphomas	1805.0	23.7	0.5	1715.2	17.0	0.4	695.0	9.4	0.3	646.0	6.0	0.2
Multiple myeloma	560.8	7.5	0.3	535.0	5.1	0.2	310.6	4.2	0.2	313.2	2.9	0.1
Leukemias	1252.8	16.8	0.4	1031.6	10.2	0.3	697.2	9.6	0.3	592.6	5.6	0.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York State

Persons of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3334.8	455.8	7.8	3244.2	297.9	4.7	1093.8	172.5	5.1	1041.0	104.9	2.9
Oral cavity and pharynx	128.6	15.5	1.3	44.4	4.3	0.6	30.2	4.0	0.7	8.0	0.9	0.3
Esophagus	53.4	8.3	1.1	18.4	2.0	0.4	38.8	6.2	1.0	12.6	1.4	0.4
Stomach	123.2	18.3	1.6	98.0	10.0	0.9	61.6	9.8	1.2	53.8	5.6	0.7
Colorectal	383.4	56.6	2.8	362.0	36.5	1.7	125.8	20.6	1.8	115.4	12.3	1.0
Colon excluding rectum	256.2	39.7	2.4	257.2	26.4	1.5	103.8	17.3	1.7	98.2	10.5	1.0
Rectum & rectosigmoid	127.2	16.9	1.5	104.8	10.1	0.9	22.0	3.3	0.7	17.2	1.8	0.4
Liver / intrahepatic bile duct	131.6	16.6	1.4	54.6	5.6	0.7	80.6	11.1	1.2	39.2	4.1	0.6
Pancreas	69.6	10.6	1.2	82.2	8.7	0.9	53.6	8.5	1.1	63.2	6.9	0.8
Larynx	59.8	8.1	1.0	13.8	1.2	0.3	21.8	3.3	0.7	2.8	0.3	0.2
Lung and bronchus	338.0	49.5	2.6	231.0	22.9	1.4	241.6	37.4	2.3	139.0	14.2	1.1
Melanoma of the skin	23.4	3.0	0.6	24.0	2.1	0.4	5.2	0.9	0.4	5.2	0.5	0.2
Female breast				931.4	82.1	2.4				182.6	17.1	1.1
Cervix uteri				162.0	12.7	0.9				43.8	3.9	0.5
Corpus uterus and NOS				205.8	18.6	1.2				34.0	3.5	0.5
Ovary				111.2	9.9	0.9				50.4	4.9	0.6
Prostate	1013.6	150.9	4.5				116.8	25.5	2.2			
Testis	43.4	2.6	0.4				2.2	0.2	0.1			
Urinary bladder (incl. in situ)	118.0	19.4	1.7	50.6	5.5	0.7	22.8	4.4	0.9	11.2	1.2	0.3
Kidney and renal pelvis	97.2	12.0	1.2	72.8	6.7	0.7	22.0	3.2	0.7	15.2	1.5	0.4
Brain and other nervous system	61.4	5.8	0.8	55.8	4.5	0.5	26.6	3.0	0.6	21.6	1.9	0.4
Thyroid	28.2	2.7	0.5	121.4	9.0	0.7	2.6	0.5	0.3	4.4	0.5	0.2
Hodgkin lymphoma	44.4	3.7	0.6	34.0	2.6	0.4	7.0	1.0	0.4	5.6	0.5	0.2
Non-Hodgkin lymphomas	198.6	21.5	1.6	154.6	14.1	1.0	50.8	6.6	0.9	47.8	4.8	0.6
Multiple myeloma	51.4	8.2	1.1	54.6	5.3	0.7	25.0	4.1	0.8	25.0	2.7	0.5
Leukemias	105.6	11.7	1.2	92.2	8.1	0.8	45.4	5.7	0.9	45.6	4.3	0.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York City
Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	8719.2	532.8	5.0	9504.6	445.3	4.2	3403.4	205.6	3.1	3797.4	157.8	2.4
Oral cavity and pharynx	211.4	13.1	0.8	117.6	5.5	0.5	48.8	3.0	0.4	28.8	1.2	0.2
Esophagus	110.0	6.7	0.6	48.8	1.9	0.3	94.0	5.7	0.5	39.2	1.5	0.2
Stomach	233.0	14.1	0.8	175.0	7.1	0.5	117.6	7.1	0.6	106.6	4.2	0.4
Colorectal	1161.0	70.2	1.8	1242.8	50.8	1.3	421.8	25.3	1.1	467.2	17.9	0.8
Colon excluding rectum	833.4	50.2	1.5	955.0	38.3	1.1	368.6	22.1	1.0	410.4	15.6	0.7
Rectum & rectosigmoid	327.6	19.9	1.0	287.8	12.4	0.7	53.2	3.2	0.4	56.8	2.3	0.3
Liver / intrahepatic bile duct	157.6	9.7	0.7	81.2	3.5	0.4	117.0	7.1	0.6	74.6	3.0	0.3
Pancreas	259.0	15.7	0.9	298.8	11.9	0.6	215.0	13.0	0.8	246.6	9.5	0.6
Larynx	126.0	7.7	0.6	36.8	1.8	0.3	40.6	2.5	0.3	13.8	0.6	0.1
Lung and bronchus	1273.8	77.1	1.9	1208.4	53.1	1.4	949.4	57.3	1.6	859.2	36.3	1.1
Melanoma of the skin	246.8	15.3	0.9	210.0	10.8	0.7	55.2	3.4	0.4	45.6	2.1	0.3
Female breast				2709.0	136.7	2.4				651.6	28.4	1.0
Cervix uteri				130.4	7.3	0.6				41.6	2.2	0.3
Corpus uterus and NOS				616.0	30.1	1.1				111.4	4.7	0.4
Ovary				342.8	17.2	0.8				221.8	10.0	0.6
Prostate	2201.6	132.9	2.5				370.0	21.9	1.0			
Testis	100.4	6.5	0.6				2.8	0.2	0.1			
Urinary bladder (incl. in situ)	695.0	41.8	1.4	279.4	11.7	0.6	134.2	8.0	0.6	61.8	2.2	0.3
Kidney and renal pelvis	342.6	21.2	1.0	202.2	9.3	0.6	83.0	5.1	0.5	50.6	2.0	0.3
Brain and other nervous system	132.8	8.8	0.7	133.8	7.1	0.6	76.6	4.9	0.5	67.2	3.3	0.4
Thyroid	92.8	5.9	0.5	235.0	13.8	0.8	7.4	0.4	0.1	13.8	0.5	0.1
Hodgkin lymphoma	61.8	4.2	0.5	64.2	4.1	0.5	10.2	0.6	0.2	8.0	0.4	0.1
Non-Hodgkin lymphomas	396.6	24.7	1.1	384.2	17.6	0.8	154.0	9.4	0.7	142.4	5.7	0.4
Multiple myeloma	93.4	5.6	0.5	96.8	4.2	0.4	47.0	2.8	0.4	56.6	2.2	0.3
Leukemias	243.0	15.4	0.9	227.4	10.3	0.6	139.2	8.5	0.6	129.2	5.3	0.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York City

Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	14145.4	545.3	4.0	14933.0	413.8	3.0	5432.0	215.4	2.6	5976.8	157.5	1.8
Oral cavity and pharynx	396.2	14.8	0.7	210.4	5.9	0.4	108.0	4.1	0.3	52.4	1.4	0.2
Esophagus	201.0	7.7	0.5	101.2	2.7	0.2	167.0	6.4	0.4	76.4	2.0	0.2
Stomach	425.2	16.7	0.7	338.6	8.8	0.4	225.8	9.0	0.5	194.8	5.0	0.3
Colorectal	1714.4	67.3	1.4	1930.4	50.6	1.0	642.4	25.7	0.9	731.0	18.5	0.6
Colon excluding rectum	1221.6	48.3	1.2	1481.4	38.5	0.9	557.6	22.4	0.8	648.2	16.4	0.6
Rectum & rectosigmoid	492.8	19.0	0.8	449.0	12.1	0.5	84.8	3.3	0.3	82.8	2.1	0.2
Liver / intrahepatic bile duct	346.2	13.0	0.6	160.2	4.3	0.3	237.2	9.1	0.5	133.4	3.5	0.3
Pancreas	379.2	14.9	0.7	466.2	12.0	0.5	310.6	12.3	0.6	386.2	9.8	0.4
Larynx	202.2	7.7	0.5	63.2	1.8	0.2	77.6	3.0	0.3	24.2	0.7	0.1
Lung and bronchus	1958.0	76.1	1.5	1733.2	46.9	1.0	1476.2	57.8	1.3	1255.0	33.3	0.8
Melanoma of the skin	287.0	10.9	0.6	256.0	7.2	0.4	60.6	2.4	0.3	50.6	1.4	0.2
Female breast				4285.8	122.6	1.7				1054.2	28.4	0.8
Cervix uteri				357.2	10.6	0.5				117.6	3.4	0.3
Corpus uterus and NOS				968.8	27.3	0.8				211.0	5.7	0.3
Ovary				513.0	14.6	0.6				318.6	8.7	0.4
Prostate	4274.2	164.5	2.2				693.6	29.1	1.0			
Testis	127.2	4.2	0.3				5.0	0.2	0.1			
Urinary bladder (incl. in situ)	850.6	33.9	1.0	363.6	9.5	0.4	170.2	7.0	0.5	94.4	2.3	0.2
Kidney and renal pelvis	477.2	18.1	0.7	304.2	8.4	0.4	113.8	4.5	0.4	71.4	1.9	0.2
Brain and other nervous system	196.8	7.3	0.5	201.0	5.9	0.4	101.4	3.8	0.3	91.4	2.6	0.2
Thyroid	130.8	4.7	0.4	399.8	12.0	0.5	9.8	0.4	0.1	22.0	0.6	0.1
Hodgkin lymphoma	99.8	3.5	0.3	93.8	2.9	0.3	15.8	0.6	0.1	11.6	0.3	0.1
Non-Hodgkin lymphomas	600.0	22.7	0.8	565.2	15.6	0.6	226.2	8.8	0.5	200.6	5.2	0.3
Multiple myeloma	181.6	7.1	0.5	218.6	5.9	0.4	84.2	3.3	0.3	116.8	3.0	0.2
Leukemias	355.8	13.9	0.6	336.8	9.2	0.5	198.8	7.8	0.5	191.2	5.0	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York City

Persons of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2666.6	459.5	8.7	2615.8	297.4	5.2	894.6	176.3	5.7	857.0	105.7	3.2
Oral cavity and pharynx	106.2	16.4	1.5	38.4	4.5	0.7	24.6	4.1	0.8	7.2	1.0	0.3
Esophagus	44.2	8.6	1.3	15.0	2.0	0.5	33.0	6.6	1.1	10.6	1.4	0.4
Stomach	96.4	18.3	1.8	81.4	10.3	1.0	50.4	10.0	1.4	43.8	5.6	0.8
Colorectal	310.4	57.5	3.2	298.0	36.6	1.9	104.4	21.3	2.0	97.0	12.6	1.1
Colon excluding rectum	211.2	41.0	2.7	211.6	26.4	1.6	86.4	17.8	1.9	82.4	10.7	1.1
Rectum & rectosigmoid	99.2	16.5	1.6	86.4	10.2	1.0	18.0	3.5	0.8	14.6	1.8	0.4
Liver / intrahepatic bile duct	111.4	17.9	1.6	48.2	6.0	0.8	67.6	11.7	1.4	34.6	4.5	0.7
Pancreas	53.2	9.9	1.3	66.2	8.6	0.9	42.0	8.2	1.2	50.8	6.7	0.8
Larynx	49.2	8.3	1.1	12.4	1.4	0.3	19.6	3.6	0.8	2.4	0.3	0.2
Lung and bronchus	269.6	48.8	2.8	188.8	22.8	1.5	197.0	37.9	2.6	118.6	14.7	1.2
Melanoma of the skin	16.0	2.7	0.7	16.4	1.7	0.4	4.2	0.9	0.4	4.8	0.6	0.2
Female breast				751.0	82.2	2.7				150.0	17.3	1.3
Cervix uteri				131.4	13.1	1.0				37.4	4.2	0.6
Corpus uterus and NOS				169.2	18.8	1.3				27.4	3.4	0.6
Ovary				86.0	9.4	0.9				39.8	4.7	0.7
Prostate	820.4	152.2	5.0				100.0	27.0	2.5			
Testis	31.0	2.6	0.4				1.8	0.2	0.1			
Urinary bladder (incl. in situ)	88.0	18.2	1.9	42.4	5.5	0.8	17.6	4.3	1.0	9.0	1.2	0.4
Kidney and renal pelvis	76.0	11.9	1.3	56.4	6.5	0.8	18.0	3.2	0.7	11.2	1.4	0.4
Brain and other nervous system	47.8	6.0	0.9	41.6	4.2	0.6	21.2	3.1	0.7	16.6	1.8	0.4
Thyroid	20.8	2.6	0.5	90.6	8.6	0.8	2.2	0.5	0.3	4.2	0.5	0.2
Hodgkin lymphoma	34.0	3.8	0.6	27.6	2.8	0.5	5.0	0.8	0.4	4.4	0.5	0.2
Non-Hodgkin lymphomas	155.6	21.9	1.7	125.0	14.2	1.1	38.2	6.3	1.0	39.2	4.8	0.7
Multiple myeloma	42.8	8.4	1.2	45.6	5.4	0.7	20.8	4.1	0.9	21.6	2.8	0.5
Leukemias	80.6	11.6	1.3	73.8	8.1	0.9	35.4	5.8	1.0	36.8	4.4	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York State Excl New York City
Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	27425.8	591.6	3.2	27067.6	461.0	2.5	10732.2	238.7	2.0	10926.6	172.9	1.5
Oral cavity and pharynx	670.2	14.1	0.5	360.8	6.1	0.3	153.6	3.3	0.2	93.0	1.5	0.1
Esophagus	410.8	8.7	0.4	139.8	2.2	0.2	384.8	8.3	0.4	131.2	2.0	0.2
Stomach	525.6	11.5	0.4	313.2	4.8	0.2	259.4	5.8	0.3	186.4	2.8	0.2
Colorectal	3219.6	70.2	1.1	3310.8	52.0	0.8	1153.0	25.9	0.7	1208.8	18.0	0.5
Colon excluding rectum	2233.4	49.0	0.9	2512.2	39.0	0.7	949.2	21.4	0.6	1033.6	15.3	0.4
Rectum & rectosigmoid	986.2	21.2	0.6	798.6	13.0	0.4	203.8	4.5	0.3	175.2	2.7	0.2
Liver / intrahepatic bile duct	317.2	6.8	0.3	163.6	2.6	0.2	253.8	5.5	0.3	151.8	2.3	0.2
Pancreas	655.2	14.2	0.5	744.8	11.6	0.4	595.6	13.0	0.5	672.6	10.3	0.4
Larynx	363.0	7.6	0.4	101.4	1.8	0.2	108.6	2.3	0.2	30.2	0.5	0.1
Lung and bronchus	4240.6	91.2	1.2	3849.6	63.7	0.9	3250.0	70.6	1.1	2787.0	45.1	0.8
Melanoma of the skin	855.0	18.4	0.6	637.2	11.8	0.4	189.2	4.1	0.3	123.2	2.1	0.2
Female breast				7961.0	140.0	1.4				1683.8	27.3	0.6
Cervix uteri				378.0	7.4	0.3				122.0	2.2	0.2
Corpus uterus and NOS				1676.2	29.2	0.6				271.2	4.3	0.2
Ovary				935.8	16.3	0.5				606.0	9.9	0.4
Prostate	7900.0	167.6	1.7				1107.2	26.7	0.7			
Testis	298.8	7.1	0.4				14.0	0.3	0.1			
Urinary bladder (incl. in situ)	2256.4	49.2	0.9	838.0	13.4	0.4	403.6	9.3	0.4	184.4	2.7	0.2
Kidney and renal pelvis	928.6	19.7	0.6	580.4	9.9	0.4	258.2	5.6	0.3	173.0	2.7	0.2
Brain and other nervous system	426.0	9.3	0.4	367.6	6.8	0.3	254.0	5.4	0.3	211.6	3.7	0.2
Thyroid	246.8	5.3	0.3	723.4	14.9	0.5	18.0	0.4	0.1	32.8	0.5	0.1
Hodgkin lymphoma	180.8	4.1	0.3	149.2	3.2	0.2	24.8	0.6	0.1	28.6	0.5	0.1
Non-Hodgkin lymphomas	1109.6	24.1	0.6	1069.0	17.9	0.5	442.2	9.8	0.4	426.4	6.6	0.3
Multiple myeloma	336.8	7.4	0.4	271.6	4.3	0.2	207.0	4.6	0.3	172.0	2.6	0.2
Leukemias	842.2	18.7	0.6	649.4	10.9	0.4	476.0	10.7	0.4	379.0	5.9	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York State Excl New York City
Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	29878.6	598.1	3.1	29141.2	457.2	2.4	11548.6	240.3	2.0	11680.0	172.5	1.4
Oral cavity and pharynx	742.0	14.4	0.5	394.0	6.2	0.3	175.8	3.5	0.2	102.0	1.5	0.1
Esophagus	452.6	9.0	0.4	156.8	2.3	0.2	417.0	8.4	0.4	144.2	2.1	0.2
Stomach	583.6	11.9	0.4	357.0	5.2	0.2	295.2	6.2	0.3	208.4	2.9	0.2
Colorectal	3464.2	70.4	1.1	3556.8	52.2	0.8	1232.0	25.9	0.7	1291.2	18.1	0.4
Colon excluding rectum	2412.6	49.5	0.9	2703.0	39.3	0.7	1014.6	21.4	0.6	1106.0	15.5	0.4
Rectum & rectosigmoid	1051.6	21.0	0.6	853.8	12.9	0.4	217.4	4.5	0.3	185.2	2.7	0.2
Liver / intrahepatic bile duct	368.2	7.3	0.3	183.4	2.7	0.2	284.6	5.7	0.3	167.6	2.4	0.2
Pancreas	708.2	14.3	0.5	804.4	11.7	0.4	640.2	13.1	0.5	724.0	10.4	0.3
Larynx	396.0	7.7	0.3	111.6	1.8	0.1	122.6	2.5	0.2	34.2	0.5	0.1
Lung and bronchus	4561.4	91.5	1.2	4077.2	62.5	0.9	3492.2	70.9	1.1	2944.4	44.4	0.7
Melanoma of the skin	890.8	17.7	0.5	663.2	11.1	0.4	191.2	3.8	0.2	124.8	1.9	0.2
Female breast				8586.4	138.3	1.3				1814.6	27.4	0.6
Cervix uteri				443.8	7.7	0.3				140.8	2.3	0.2
Corpus uterus and NOS				1790.6	28.6	0.6				302.0	4.4	0.2
Ovary				995.2	15.9	0.4				642.2	9.7	0.3
Prostate	8875.6	175.3	1.6				1224.4	27.9	0.7			
Testis	313.2	6.4	0.3				14.8	0.3	0.1			
Urinary bladder (incl. in situ)	2341.6	47.8	0.9	874.6	13.0	0.4	414.8	9.1	0.4	193.4	2.6	0.2
Kidney and renal pelvis	992.4	19.5	0.5	623.2	9.8	0.3	273.6	5.6	0.3	181.6	2.6	0.2
Brain and other nervous system	454.2	9.0	0.4	395.4	6.7	0.3	266.8	5.2	0.3	221.2	3.5	0.2
Thyroid	265.8	5.1	0.3	798.2	14.6	0.5	18.8	0.4	0.1	36.2	0.5	0.1
Hodgkin lymphoma	199.8	4.0	0.3	164.8	3.1	0.2	26.4	0.5	0.1	29.6	0.5	0.1
Non-Hodgkin lymphomas	1205.0	24.1	0.6	1150.0	17.8	0.5	468.8	9.7	0.4	445.4	6.5	0.3
Multiple myeloma	379.2	7.7	0.4	316.4	4.7	0.2	226.4	4.7	0.3	196.4	2.8	0.2
Leukemias	897.0	18.4	0.5	694.8	10.8	0.4	498.4	10.5	0.4	401.4	5.9	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York State Excl New York City
Persons of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	668.2	448.1	18.0	628.4	303.0	11.4	199.2	158.9	11.5	184.0	101.1	6.9
Oral cavity and pharynx	22.4	12.7	2.8	6.0	3.1	1.2	5.6	4.1	1.7	0.8	0.5	0.5
Esophagus	9.2	7.2	2.4	3.4	2.2	1.1	5.8	4.6	1.9	2.0	1.4	0.9
Stomach	26.8	18.6	3.8	16.6	8.9	2.0	11.2	9.0	2.8	10.0	5.5	1.6
Colorectal	73.0	53.7	6.4	64.0	36.5	4.2	21.4	18.2	3.9	18.4	11.0	2.4
Colon excluding rectum	45.0	34.7	5.3	45.6	26.8	3.7	17.4	15.5	3.7	15.8	9.4	2.2
Rectum & rectosigmoid	28.0	19.1	3.7	18.4	9.6	2.1	4.0	2.7	1.3	2.6	1.5	0.9
Liver / intrahepatic bile duct	20.2	11.9	2.7	6.4	3.7	1.4	13.0	8.8	2.5	4.6	2.7	1.1
Pancreas	16.4	13.8	3.3	16.0	9.5	2.2	11.6	10.2	2.9	12.4	7.6	2.0
Larynx	10.6	7.1	2.3	1.4	0.7	0.5	2.2	2.1	1.4	0.4	0.2	0.3
Lung and bronchus	68.4	53.6	6.5	42.2	23.4	3.3	44.6	35.6	5.3	20.4	11.9	2.4
Melanoma of the skin	7.4	4.0	1.6	7.6	3.5	1.2	1.0	0.9	0.9	0.4	0.2	0.3
Female breast				180.4	82.1	5.7				32.6	16.6	2.7
Cervix uteri				30.6	11.5	2.0				6.4	2.7	1.0
Corpus uterus and NOS				36.6	17.2	2.6				6.6	3.7	1.3
Ovary				25.2	12.2	2.3				10.6	5.8	1.6
Prostate	193.2	146.1	10.3				16.8	19.1	4.4			
Testis	12.4	2.8	0.8				0.4	0.1	0.1			
Urinary bladder (incl. in situ)	30.0	24.6	4.5	8.2	5.1	1.6	5.2	5.1	2.2	2.2	1.3	0.8
Kidney and renal pelvis	21.2	12.7	2.8	16.4	7.7	1.8	4.0	3.4	1.7	4.0	2.2	1.0
Brain and other nervous system	13.6	4.9	1.5	14.2	5.6	1.5	5.4	2.5	1.2	5.0	2.3	1.0
Thyroid	7.4	3.1	1.3	30.8	10.5	1.8	0.4	0.5	0.8	0.2	0.2	0.3
Hodgkin lymphoma	10.4	3.3	1.1	6.4	2.0	0.8	2.0	1.5	1.1	1.2	0.4	0.3
Non-Hodgkin lymphomas	43.0	21.2	3.6	29.6	14.3	2.5	12.6	7.8	2.3	8.6	4.7	1.5
Multiple myeloma	8.6	7.6	2.6	9.0	5.1	1.6	4.2	4.4	2.1	3.4	2.2	1.1
Leukemias	25.0	12.1	2.8	18.4	8.0	1.9	10.0	5.1	1.8	8.8	3.8	1.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

<i>Bronx</i> <i>Non-Hispanic Whites</i> Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	759.6	553.0	18.1	844.4	460.3	16.0	349.0	244.7	11.9	405.6	189.6	9.6
Oral cavity and pharynx	17.0	13.2	2.9	10.8	5.9	1.8	5.8	4.7	1.7	3.4	2.0	1.1
Esophagus	12.0	9.0	2.3	4.4	2.4	1.2	10.0	7.3	2.1	4.4	2.2	1.1
Stomach	24.2	17.2	3.2	17.4	7.6	1.9	15.2	10.5	2.4	13.4	5.9	1.7
Colorectal	102.0	70.7	6.3	120.8	52.6	4.8	42.6	29.6	4.1	55.6	22.6	3.1
Colon excluding rectum	71.4	48.5	5.2	91.6	37.2	3.9	37.2	25.7	3.8	48.4	19.2	2.8
Rectum & rectosigmoid	30.6	22.2	3.6	29.2	15.4	2.8	5.4	3.9	1.5	7.2	3.4	1.3
Liver / intrahepatic bile duct	15.2	12.4	2.9	9.2	4.1	1.4	11.6	8.9	2.4	8.2	3.2	1.1
Pancreas	21.0	15.5	3.1	33.0	13.1	2.3	17.6	12.4	2.7	26.2	10.9	2.1
Larynx	13.0	10.0	2.5	5.0	3.4	1.5	3.6	2.9	1.4	2.2	1.1	0.8
Lung and bronchus	119.4	86.0	7.0	114.2	57.5	5.2	95.8	67.3	6.2	89.0	42.5	4.5
Melanoma of the skin	15.4	11.4	2.6	12.4	7.7	2.2	7.0	5.5	1.9	3.8	1.8	1.0
Female breast				222.6	137.4	9.1				66.8	33.7	4.2
Cervix uteri				11.0	9.2	2.6				4.8	4.2	1.8
Corpus uterus and NOS				49.6	29.8	4.1				8.6	3.7	1.2
Ovary				26.8	15.8	3.1				21.8	10.8	2.3
Prostate	199.0	138.8	8.8				45.0	26.7	3.5			
Testis	6.6	7.1	2.4				0.2	0.2	0.5			
Urinary bladder (incl. in situ)	56.2	37.7	4.5	26.2	11.9	2.3	15.0	9.2	2.1	8.2	2.9	1.1
Kidney and renal pelvis	23.8	18.5	3.4	17.2	9.6	2.3	9.8	7.1	2.1	5.6	2.4	1.0
Brain and other nervous system	8.4	7.2	2.3	11.8	7.5	2.2	6.0	5.3	2.0	7.6	4.6	1.8
Thyroid	5.2	4.3	1.7	13.2	10.7	2.9	1.0	0.6	0.6	1.2	0.5	0.5
Hodgkin lymphoma	4.8	4.7	1.9	4.4	3.9	1.8	1.8	1.4	0.9	0.6	0.5	0.6
Non-Hodgkin lymphomas	32.2	26.0	4.2	36.2	19.4	3.3	13.6	11.0	2.7	17.2	7.5	1.9
Multiple myeloma	11.8	8.3	2.2	11.8	6.2	1.8	3.8	2.5	1.1	7.6	3.6	1.3
Leukemias	23.0	16.5	3.1	21.6	11.7	2.7	14.6	10.8	2.6	10.4	4.7	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

*Bronx
Persons not of Hispanic Origin*

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1703.8	608.2	12.9	1845.0	435.5	9.1	704.4	254.4	8.4	831.6	186.1	5.8
Oral cavity and pharynx	43.6	15.4	2.0	25.2	6.1	1.1	14.8	5.3	1.2	7.4	1.7	0.6
Esophagus	27.0	9.7	1.6	15.2	3.5	0.8	23.4	8.4	1.5	13.0	3.0	0.7
Stomach	50.6	18.2	2.2	44.8	9.6	1.3	30.4	11.0	1.7	27.0	5.6	1.0
Colorectal	196.0	70.9	4.4	251.2	55.7	3.2	77.8	28.2	2.8	108.4	23.1	2.0
Colon excluding rectum	140.2	50.9	3.8	196.2	42.8	2.7	68.2	24.8	2.6	96.0	20.3	1.9
Rectum & rectosigmoid	55.8	20.1	2.4	55.0	12.9	1.5	9.6	3.4	1.0	12.4	2.8	0.7
Liver / intrahepatic bile duct	39.2	13.8	1.9	19.2	4.4	0.9	27.0	9.6	1.6	19.0	4.2	0.9
Pancreas	41.8	15.1	2.0	67.2	14.2	1.6	34.8	12.6	1.9	53.2	11.2	1.4
Larynx	28.6	10.2	1.7	12.6	3.1	0.8	13.4	4.8	1.1	5.6	1.3	0.5
Lung and bronchus	237.6	85.3	4.9	218.2	50.6	3.1	190.6	68.7	4.4	172.6	39.2	2.7
Melanoma of the skin	18.4	6.6	1.4	16.8	3.9	0.8	7.6	2.7	0.9	4.8	1.0	0.4
Female breast				499.8	123.1	4.9				139.4	32.6	2.5
Cervix uteri				55.6	14.7	1.7				22.0	5.7	1.1
Corpus uterus and NOS				116.6	28.2	2.3				27.4	6.3	1.1
Ovary				56.2	13.5	1.6				40.4	9.3	1.3
Prostate	576.8	206.9	7.6				109.6	40.7	3.4			
Testis	9.6	3.0	0.8				0.6	0.2	0.2			
Urinary bladder (incl. in situ)	82.0	30.0	2.9	46.8	10.0	1.3	20.6	7.6	1.5	15.4	3.1	0.7
Kidney and renal pelvis	47.6	16.8	2.1	39.8	9.6	1.4	15.4	5.5	1.2	8.0	1.7	0.5
Brain and other nervous system	18.6	6.4	1.3	22.6	5.5	1.0	10.2	3.5	1.0	11.6	2.7	0.7
Thyroid	10.4	3.6	1.0	38.2	10.0	1.4	1.0	0.4	0.3	2.8	0.6	0.3
Hodgkin lymphoma	14.8	4.8	1.1	9.6	2.6	0.7	3.0	1.0	0.5	1.2	0.3	0.3
Non-Hodgkin lymphomas	66.4	23.2	2.5	67.4	16.1	1.8	25.4	8.9	1.6	29.2	6.3	1.1
Multiple myeloma	29.6	10.6	1.7	38.6	9.0	1.3	12.8	4.6	1.1	19.4	4.3	0.9
Leukemias	45.8	16.1	2.1	45.8	10.4	1.4	25.2	8.9	1.6	24.2	5.4	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

<i>Bronx</i> <i>Persons of Hispanic Origin</i>	<i>Incidence</i>						<i>Mortality</i>					
	<i>Males</i>			<i>Females</i>			<i>Males</i>			<i>Females</i>		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	798.4	495.6	17.2	787.0	311.5	10.1	280.4	193.0	11.3	261.0	112.8	6.3
Oral cavity and pharynx	38.6	20.5	3.2	10.6	4.1	1.1	9.0	5.8	1.9	2.0	0.8	0.5
Esophagus	15.8	11.3	2.7	5.2	2.6	1.0	10.8	7.9	2.4	5.2	2.5	1.0
Stomach	26.4	19.8	3.8	21.6	9.5	1.8	16.2	12.3	3.0	10.6	5.0	1.4
Colorectal	89.2	59.9	6.2	95.2	41.6	3.9	32.6	23.5	4.0	32.6	15.0	2.4
Colon excluding rectum	62.4	44.2	5.5	70.4	31.4	3.4	27.0	19.4	3.7	28.0	12.9	2.2
Rectum & rectosigmoid	26.8	15.7	2.9	24.8	10.2	1.9	5.6	4.1	1.7	4.6	2.2	0.9
Liver / intrahepatic bile duct	37.4	20.0	3.1	18.0	7.6	1.6	20.6	11.6	2.4	12.2	5.4	1.4
Pancreas	17.8	11.3	2.7	16.4	7.4	1.7	10.6	6.8	2.1	12.6	6.0	1.5
Larynx	16.4	9.2	2.1	5.4	2.0	0.8	7.8	5.2	1.8	1.0	0.5	0.4
Lung and bronchus	82.8	52.4	5.5	59.2	25.3	3.0	63.2	42.2	5.1	38.4	16.8	2.4
Melanoma of the skin	3.2	1.8	1.0	2.8	1.0	0.6	1.4	1.0	0.9	1.2	0.5	0.4
Female breast				217.0	82.4	5.0				43.6	17.4	2.4
Cervix uteri				39.8	14.0	2.0				13.2	5.0	1.3
Corpus uterus and NOS				49.6	19.4	2.5				8.2	3.7	1.1
Ovary				25.6	10.1	1.8				11.6	5.1	1.4
Prostate	244.2	167.7	10.3				32.8	30.2	4.9			
Testis	6.6	2.0	0.7				0.8	0.3	0.3			
Urinary bladder (incl. in situ)	22.0	15.5	3.2	13.8	6.4	1.6	3.6	2.6	1.4	3.0	1.4	0.7
Kidney and renal pelvis	23.4	13.0	2.6	16.8	6.6	1.5	6.2	3.8	1.5	3.8	1.6	0.7
Brain and other nervous system	11.8	5.2	1.5	10.2	3.4	1.0	6.0	3.1	1.3	4.6	1.6	0.7
Thyroid	6.4	2.8	1.1	26.2	8.4	1.5	0.6	0.4	0.6	1.2	0.5	0.4
Hodgkin lymphoma	9.8	3.6	1.1	7.4	2.5	0.8	2.4	1.2	0.7	1.4	0.6	0.4
Non-Hodgkin lymphomas	46.0	23.0	3.4	40.8	15.6	2.2	10.4	5.8	1.8	12.6	5.3	1.4
Multiple myeloma	13.2	9.2	2.5	15.8	6.5	1.5	6.8	5.0	1.9	7.4	3.4	1.1
Leukemias	23.6	13.0	2.8	24.2	8.6	1.6	9.6	5.8	1.9	9.4	3.5	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Kings (Brooklyn)

Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2494.2	513.1	9.0	2798.8	439.7	7.7	951.4	191.8	5.5	1047.8	144.6	4.1
Oral cavity and pharynx	52.6	11.2	1.4	34.2	5.3	0.8	11.2	2.4	0.6	7.6	1.1	0.4
Esophagus	28.2	5.8	1.0	14.2	1.8	0.4	22.4	4.6	0.8	11.4	1.4	0.4
Stomach	80.6	16.4	1.6	64.6	8.9	1.0	41.0	8.2	1.1	37.0	5.0	0.8
Colorectal	375.8	75.9	3.4	410.2	55.9	2.6	128.2	25.4	2.0	139.8	17.6	1.4
Colon excluding rectum	279.6	56.1	2.9	323.2	43.5	2.2	115.4	22.8	1.9	124.8	15.6	1.3
Rectum & rectosigmoid	96.2	19.8	1.8	87.0	12.4	1.2	12.8	2.6	0.6	15.0	2.0	0.5
Liver / intrahepatic bile duct	43.0	8.9	1.2	22.8	3.4	0.7	30.2	6.2	1.0	22.2	3.0	0.6
Pancreas	77.8	15.7	1.6	81.6	10.8	1.1	60.0	12.1	1.4	67.0	8.5	0.9
Larynx	37.2	7.8	1.1	9.4	1.4	0.4	11.4	2.3	0.6	3.0	0.5	0.2
Lung and bronchus	371.2	75.9	3.5	313.4	46.1	2.4	277.6	56.5	3.0	213.2	29.8	1.9
Melanoma of the skin	61.0	13.0	1.5	52.8	8.9	1.1	13.0	2.8	0.7	13.8	2.1	0.5
Female breast				770.2	131.1	4.3				178.0	26.1	1.8
Cervix uteri				42.4	8.3	1.2				13.0	2.3	0.6
Corpus uterus and NOS				193.6	32.1	2.1				32.6	4.6	0.7
Ovary				95.6	16.3	1.5				61.6	9.4	1.1
Prostate	571.0	116.2	4.3				98.8	19.0	1.7			
Testis	24.4	5.6	1.0				0.2	0.0	0.1			
Urinary bladder (incl. in situ)	211.4	42.5	2.6	78.4	11.0	1.1	35.6	6.9	1.0	13.8	1.6	0.4
Kidney and renal pelvis	108.2	22.8	1.9	71.8	10.9	1.2	21.0	4.3	0.8	16.2	2.1	0.5
Brain and other nervous system	39.8	8.8	1.2	40.8	7.1	1.0	22.6	4.9	0.9	17.0	2.6	0.6
Thyroid	27.6	6.0	1.0	68.8	13.8	1.5	1.6	0.3	0.2	5.2	0.6	0.3
Hodgkin lymphoma	19.0	4.4	0.9	22.2	4.8	0.9	2.8	0.6	0.3	3.0	0.5	0.3
Non-Hodgkin lymphomas	107.2	22.5	1.9	113.2	17.6	1.5	36.4	7.5	1.1	36.8	4.9	0.8
Multiple myeloma	24.2	4.9	0.9	24.4	3.6	0.7	13.0	2.6	0.6	12.4	1.7	0.4
Leukemias	76.8	16.1	1.6	71.0	10.5	1.2	39.4	8.0	1.1	36.0	5.0	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Kings (Brooklyn)

Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4406.0	539.4	7.2	4641.4	395.6	5.1	1658.6	208.0	4.5	1839.6	150.9	3.1
Oral cavity and pharynx	119.2	14.1	1.1	67.4	5.9	0.6	37.6	4.4	0.6	19.0	1.6	0.3
Esophagus	62.8	7.6	0.8	29.4	2.4	0.4	49.4	6.0	0.8	23.4	1.9	0.3
Stomach	142.4	17.8	1.3	122.2	9.9	0.8	77.0	9.7	1.0	68.2	5.5	0.6
Colorectal	562.0	70.3	2.6	643.6	52.3	1.8	203.4	25.8	1.6	234.2	18.6	1.1
Colon excluding rectum	412.6	52.0	2.3	502.0	40.6	1.6	180.2	22.9	1.5	211.0	16.7	1.0
Rectum & rectosigmoid	149.4	18.3	1.3	141.6	11.7	0.9	23.2	2.9	0.5	23.2	1.9	0.3
Liver / intrahepatic bile duct	102.6	12.3	1.1	49.6	4.2	0.5	71.2	8.7	0.9	39.4	3.2	0.5
Pancreas	115.2	14.5	1.2	137.0	11.0	0.8	91.6	11.5	1.1	112.2	8.9	0.7
Larynx	64.0	7.7	0.8	17.4	1.5	0.3	25.0	3.0	0.5	6.4	0.5	0.2
Lung and bronchus	595.2	73.4	2.6	475.2	39.8	1.6	447.6	55.4	2.3	343.4	28.4	1.4
Melanoma of the skin	68.6	8.4	0.9	64.4	5.5	0.6	15.4	1.9	0.4	15.0	1.2	0.3
Female breast				1296.4	113.5	2.8				335.0	28.1	1.4
Cervix uteri				131.6	11.9	0.9				40.6	3.6	0.5
Corpus uterus and NOS				324.4	28.1	1.4				74.4	6.2	0.6
Ovary				147.8	12.9	0.9				94.6	7.9	0.7
Prostate	1385.6	169.4	4.0				219.4	29.1	1.7			
Testis	31.8	3.4	0.5				0.8	0.1	0.1			
Urinary bladder (incl. in situ)	259.4	32.9	1.8	99.6	8.1	0.7	46.2	6.1	0.8	24.4	1.9	0.3
Kidney and renal pelvis	151.2	18.3	1.3	106.2	9.0	0.8	32.2	4.0	0.6	25.6	2.1	0.4
Brain and other nervous system	62.2	7.2	0.8	68.6	6.0	0.6	30.6	3.6	0.6	26.6	2.3	0.4
Thyroid	38.0	4.3	0.6	121.4	11.1	0.9	2.4	0.3	0.2	8.2	0.6	0.2
Hodgkin lymphoma	30.2	3.3	0.5	31.4	2.9	0.5	4.6	0.5	0.2	4.0	0.4	0.2
Non-Hodgkin lymphomas	175.8	21.1	1.4	182.2	15.6	1.0	61.2	7.5	0.8	60.6	5.0	0.6
Multiple myeloma	54.4	6.8	0.8	72.0	6.1	0.6	25.4	3.2	0.6	35.0	2.9	0.4
Leukemias	109.8	13.3	1.1	106.2	8.9	0.8	60.6	7.5	0.9	58.8	4.8	0.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Kings (Brooklyn)

Persons of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	569.0	463.2	19.3	554.8	298.4	11.6	204.0	188.4	13.1	193.2	114.0	7.5
Oral cavity and pharynx	27.8	20.3	3.8	7.6	4.1	1.4	7.8	6.1	2.2	1.4	0.9	0.7
Esophagus	9.6	8.3	2.6	3.8	2.5	1.2	8.6	7.9	2.7	1.6	0.9	0.7
Stomach	20.8	17.7	3.9	18.4	11.7	2.5	10.0	8.5	2.7	11.2	7.0	1.9
Colorectal	77.4	68.7	7.8	66.6	39.9	4.5	26.4	24.6	4.7	23.4	14.6	2.7
Colon excluding rectum	52.2	49.0	6.8	45.0	27.9	3.8	21.8	20.4	4.3	19.8	12.5	2.6
Rectum & rectosigmoid	25.2	19.7	3.8	21.6	11.9	2.3	4.6	4.1	1.9	3.6	2.0	1.0
Liver / intrahepatic bile duct	25.6	18.7	3.6	9.6	5.5	1.6	16.6	13.1	3.2	6.4	3.6	1.3
Pancreas	10.2	8.7	2.7	16.0	9.8	2.2	8.8	7.7	2.5	14.2	8.8	2.1
Larynx	11.0	8.2	2.4	2.2	1.1	0.6	4.2	3.3	1.5	0.4	0.3	0.4
Lung and bronchus	57.8	50.2	6.4	38.6	22.4	3.3	44.0	40.5	6.0	25.2	15.5	2.8
Melanoma of the skin	3.4	2.6	1.4	2.6	1.2	0.7	0.6	0.5	0.6	1.0	0.6	0.5
Female breast				155.4	80.0	5.8				39.0	21.5	3.2
Cervix uteri				34.0	15.5	2.4				7.0	3.9	1.4
Corpus uterus and NOS				37.8	19.4	2.8				6.6	3.8	1.3
Ovary				18.0	9.3	2.0				9.2	4.9	1.5
Prostate	167.2	148.4	11.1				20.2	27.0	5.7			
Testis	6.0	2.1	0.8				0.2	0.1	0.1			
Urinary bladder (incl. in situ)	16.6	16.8	4.1	7.8	4.8	1.5	3.4	4.0	2.2	1.8	1.3	0.9
Kidney and renal pelvis	12.6	9.3	2.5	10.8	5.8	1.6	4.2	3.4	1.6	2.4	1.4	0.8
Brain and other nervous system	10.0	6.2	1.9	8.8	4.0	1.3	4.2	2.6	1.2	2.8	1.5	0.8
Thyroid	3.2	1.8	0.9	18.0	7.9	1.7	0.0	0.0	0.0	1.2	0.7	0.6
Hodgkin lymphoma	9.4	5.0	1.7	6.0	2.7	1.0	0.8	0.5	0.6	1.0	0.4	0.4
Non-Hodgkin lymphomas	33.4	20.6	3.5	25.8	13.8	2.5	8.6	7.0	2.4	7.4	4.4	1.5
Multiple myeloma	8.2	7.7	2.6	8.0	4.6	1.5	5.0	4.3	1.9	4.0	2.6	1.2
Leukemias	18.2	13.1	3.4	14.0	7.5	1.9	8.8	7.9	2.8	7.2	4.4	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York (Manhattan)

Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1822.6	513.7	10.8	2079.8	455.8	9.0	666.6	198.4	6.8	822.8	168.0	5.3
Oral cavity and pharynx	53.4	14.5	1.8	27.8	5.8	1.0	12.0	3.4	0.9	7.8	1.4	0.5
Esophagus	23.4	6.6	1.2	13.4	2.6	0.6	20.0	5.8	1.1	9.4	1.8	0.5
Stomach	32.2	9.3	1.5	21.0	4.3	0.8	14.6	4.4	1.0	17.6	3.4	0.7
Colorectal	185.8	53.7	3.5	201.0	41.5	2.6	75.0	22.5	2.3	85.0	16.4	1.6
Colon excluding rectum	136.0	39.9	3.0	153.4	31.4	2.3	63.4	19.2	2.1	72.0	13.9	1.5
Rectum & rectosigmoid	49.8	13.9	1.7	47.6	10.2	1.3	11.6	3.3	0.9	13.0	2.6	0.6
Liver / intrahepatic bile duct	32.8	9.1	1.4	16.0	3.3	0.8	22.8	6.3	1.2	13.0	2.7	0.7
Pancreas	55.0	16.0	1.9	64.4	13.3	1.5	44.6	13.2	1.8	57.8	11.4	1.3
Larynx	21.8	6.1	1.2	7.0	1.6	0.5	6.8	2.0	0.7	4.4	0.9	0.4
Lung and bronchus	214.0	61.3	3.7	276.2	59.6	3.2	150.8	43.9	3.2	198.8	41.1	2.6
Melanoma of the skin	84.2	22.8	2.2	58.0	12.5	1.5	15.6	4.5	1.0	9.6	2.1	0.6
Female breast				675.8	152.5	5.2				148.8	30.5	2.2
Cervix uteri				25.0	5.5	1.0				7.6	1.7	0.6
Corpus uterus and NOS				127.8	28.6	2.2				21.4	4.6	0.9
Ovary				83.2	18.5	1.8				50.0	11.0	1.4
Prostate	498.8	140.0	5.5				82.4	26.2	2.5			
Testis	34.4	7.4	1.2				1.0	0.2	0.2			
Urinary bladder (incl. in situ)	127.4	37.3	2.9	56.0	11.8	1.4	28.2	8.7	1.4	13.2	2.3	0.6
Kidney and renal pelvis	70.4	19.6	2.1	34.6	7.4	1.1	16.8	4.8	1.0	9.0	1.8	0.5
Brain and other nervous system	35.0	10.5	1.7	31.0	8.2	1.5	19.0	5.5	1.2	14.0	3.5	0.9
Thyroid	26.6	6.6	1.1	59.4	12.8	1.5	1.8	0.5	0.3	2.0	0.4	0.2
Hodgkin lymphoma	15.6	4.4	1.1	14.0	3.7	1.0	3.0	0.8	0.4	1.8	0.5	0.4
Non-Hodgkin lymphomas	103.4	29.0	2.6	84.6	18.3	1.8	38.2	11.3	1.6	30.2	6.0	1.0
Multiple myeloma	17.0	5.0	1.1	18.0	3.9	0.8	11.4	3.6	0.9	12.8	2.6	0.7
Leukemias	46.4	14.3	2.0	47.0	10.5	1.5	28.8	8.4	1.4	31.0	6.4	1.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York (Manhattan)

Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2861.4	555.8	9.2	3145.6	457.1	7.3	1103.2	228.0	6.1	1246.0	171.5	4.3
Oral cavity and pharynx	93.2	17.1	1.6	46.4	6.6	0.9	23.6	4.6	0.8	11.8	1.5	0.4
Esophagus	42.2	8.3	1.1	26.0	3.6	0.6	36.2	7.2	1.1	19.0	2.6	0.5
Stomach	73.6	14.7	1.5	53.2	7.4	0.9	38.8	8.0	1.1	35.4	4.6	0.7
Colorectal	296.2	59.5	3.1	339.6	47.4	2.3	124.4	26.2	2.1	136.2	18.2	1.4
Colon excluding rectum	212.6	43.3	2.6	258.8	35.8	2.0	106.4	22.6	1.9	118.2	15.7	1.3
Rectum & rectosigmoid	83.6	16.2	1.6	80.8	11.6	1.1	18.0	3.6	0.8	18.0	2.4	0.5
Liver / intrahepatic bile duct	79.8	14.9	1.5	34.0	4.9	0.7	50.8	9.8	1.2	27.0	3.7	0.6
Pancreas	77.8	15.7	1.6	96.0	13.3	1.2	61.0	12.5	1.4	86.0	11.5	1.1
Larynx	36.4	7.0	1.0	13.8	2.1	0.5	14.0	2.8	0.7	6.2	0.8	0.3
Lung and bronchus	366.2	72.7	3.4	400.8	57.3	2.5	271.0	54.9	2.9	286.6	39.8	2.1
Melanoma of the skin	104.2	19.4	1.7	80.2	11.4	1.1	16.8	3.5	0.7	11.0	1.6	0.4
Female breast				988.0	147.5	4.2				219.2	30.4	1.8
Cervix uteri				58.2	8.6	1.0				20.6	3.1	0.6
Corpus uterus and NOS				183.8	27.2	1.8				37.8	5.4	0.8
Ovary				110.4	16.5	1.4				68.2	9.9	1.1
Prostate	811.8	158.4	4.9				149.4	33.3	2.4			
Testis	41.8	6.1	0.9				1.0	0.2	0.2			
Urinary bladder (incl. in situ)	162.6	33.1	2.3	76.2	10.6	1.1	37.6	8.1	1.2	21.4	2.7	0.5
Kidney and renal pelvis	97.0	18.7	1.7	54.8	8.0	1.0	23.0	4.6	0.8	13.0	1.8	0.4
Brain and other nervous system	46.8	9.2	1.2	43.4	7.2	1.0	24.6	4.9	0.9	18.0	2.9	0.6
Thyroid	36.4	6.2	0.9	92.6	13.3	1.2	2.0	0.4	0.3	3.2	0.4	0.2
Hodgkin lymphoma	22.8	4.1	0.8	20.2	3.1	0.7	4.4	0.8	0.3	2.6	0.4	0.2
Non-Hodgkin lymphomas	148.0	27.8	2.0	116.2	16.8	1.4	51.4	10.4	1.3	38.6	5.2	0.7
Multiple myeloma	32.8	6.6	1.0	36.2	5.1	0.8	18.8	4.0	0.8	24.0	3.3	0.6
Leukemias	67.8	13.9	1.5	64.0	9.4	1.1	39.8	8.4	1.2	40.8	5.7	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

New York (Manhattan)

Persons of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	696.8	493.7	17.2	640.0	307.8	10.7	234.2	187.5	11.4	216.4	106.5	6.4
Oral cavity and pharynx	24.4	16.8	3.1	10.8	5.3	1.4	6.0	3.7	1.4	2.6	1.3	0.7
Esophagus	13.6	10.5	2.7	3.2	1.5	0.7	9.0	7.1	2.2	2.6	1.3	0.7
Stomach	21.4	16.0	3.2	20.2	10.0	2.0	12.0	9.4	2.5	9.6	4.8	1.4
Colorectal	72.2	53.7	5.8	69.6	33.8	3.6	22.8	18.8	3.7	23.0	11.3	2.1
Colon excluding rectum	47.4	36.9	4.9	52.2	25.4	3.1	19.0	16.0	3.4	18.4	9.2	1.9
Rectum & rectosigmoid	24.8	16.8	3.1	17.4	8.4	1.8	3.8	2.9	1.4	4.6	2.2	0.9
Liver / intrahepatic bile duct	28.2	19.7	3.4	10.8	5.3	1.4	16.8	12.6	2.8	10.4	5.2	1.4
Pancreas	13.0	10.2	2.6	19.6	9.9	2.0	12.0	10.1	2.7	13.6	6.8	1.6
Larynx	13.6	10.3	2.6	2.6	1.2	0.7	4.6	3.6	1.6	0.4	0.2	0.3
Lung and bronchus	74.8	55.3	5.9	53.2	25.6	3.1	55.4	42.9	5.3	31.8	15.5	2.4
Melanoma of the skin	5.0	3.8	1.6	4.8	2.3	0.9	1.2	0.9	0.7	1.2	0.6	0.5
Female breast				180.2	86.3	5.7				29.8	14.6	2.4
Cervix uteri				26.8	12.7	2.2				10.0	4.8	1.3
Corpus uterus and NOS				41.2	19.5	2.7				6.4	3.1	1.1
Ovary				19.0	9.0	1.8				9.2	4.5	1.3
Prostate	231.4	165.4	9.9				31.0	31.1	5.1			
Testis	5.0	2.1	0.8				0.6	0.4	0.4			
Urinary bladder (incl. in situ)	26.8	21.2	3.8	10.6	5.2	1.4	5.0	4.6	1.9	3.0	1.5	0.8
Kidney and renal pelvis	19.6	13.3	2.7	15.2	7.4	1.7	3.8	2.8	1.4	2.4	1.2	0.7
Brain and other nervous system	12.4	7.0	1.9	11.0	5.1	1.4	4.4	2.9	1.3	3.6	1.8	0.8
Thyroid	4.8	2.8	1.1	19.2	8.8	1.8	1.0	0.8	0.8	1.0	0.5	0.4
Hodgkin lymphoma	7.6	4.1	1.4	9.6	4.4	1.3	1.2	0.8	0.7	1.2	0.6	0.5
Non-Hodgkin lymphomas	39.6	25.6	3.8	31.6	15.4	2.4	10.4	7.3	2.1	10.2	5.0	1.4
Multiple myeloma	11.4	9.0	2.5	12.4	5.9	1.5	5.8	4.4	1.7	5.6	2.7	1.0
Leukemias	16.0	9.7	2.3	17.4	8.4	1.8	7.4	5.0	1.7	11.2	5.4	1.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Queens
Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2661.0	531.5	9.2	2850.6	439.8	7.9	1087.8	210.8	5.7	1153.0	156.3	4.4
Oral cavity and pharynx	67.2	14.0	1.5	34.2	5.5	0.9	16.2	3.4	0.8	7.8	1.2	0.4
Esophagus	37.4	7.5	1.1	14.2	1.8	0.4	32.4	6.4	1.0	11.6	1.4	0.4
Stomach	76.4	14.8	1.5	56.8	7.3	0.9	39.4	7.5	1.0	31.4	3.8	0.6
Colorectal	373.8	73.1	3.3	396.8	51.6	2.4	131.6	25.2	1.9	143.6	17.7	1.4
Colon excluding rectum	260.0	50.5	2.8	299.0	38.1	2.1	115.0	21.9	1.8	128.2	15.8	1.3
Rectum & rectosigmoid	113.8	22.6	1.9	97.8	13.5	1.3	16.6	3.3	0.7	15.4	1.9	0.5
Liver / intrahepatic bile duct	50.6	10.5	1.3	26.8	3.5	0.6	40.2	8.0	1.1	23.6	3.0	0.6
Pancreas	79.0	15.3	1.5	92.0	11.3	1.1	68.4	13.3	1.4	71.4	8.6	1.0
Larynx	41.4	8.4	1.2	10.8	1.6	0.5	13.8	2.7	0.6	3.0	0.4	0.2
Lung and bronchus	416.6	81.6	3.5	376.6	52.9	2.5	311.6	60.6	3.0	264.2	36.2	2.1
Melanoma of the skin	64.0	13.1	1.5	65.6	11.6	1.4	15.4	3.1	0.7	14.0	2.2	0.6
Female breast				769.4	130.6	4.4				192.4	27.8	1.9
Cervix uteri				37.0	7.4	1.1				12.2	2.2	0.6
Corpus uterus and NOS				188.2	30.4	2.1				37.8	5.0	0.8
Ovary				105.0	17.9	1.7				67.2	10.0	1.1
Prostate	655.4	127.9	4.4				112.8	20.3	1.7			
Testis	21.6	5.7	1.1				1.4	0.4	0.3			
Urinary bladder (incl. in situ)	222.2	42.5	2.5	91.4	11.7	1.1	42.4	7.9	1.1	19.6	2.2	0.5
Kidney and renal pelvis	100.6	20.9	1.8	59.6	9.0	1.1	27.0	5.4	0.9	15.0	2.0	0.5
Brain and other nervous system	36.4	8.8	1.3	38.0	6.7	1.1	22.2	4.8	0.9	23.0	3.7	0.7
Thyroid	23.2	5.3	1.0	69.0	15.9	1.8	2.6	0.5	0.3	4.0	0.5	0.3
Hodgkin lymphoma	16.2	4.2	1.0	15.4	4.1	1.0	2.0	0.4	0.3	2.0	0.5	0.3
Non-Hodgkin lymphomas	108.6	22.6	1.9	112.8	16.6	1.5	49.6	9.6	1.2	45.4	6.0	0.9
Multiple myeloma	29.0	5.7	0.9	32.0	4.5	0.7	14.8	2.8	0.7	17.6	2.2	0.5
Leukemias	72.6	15.2	1.6	64.8	9.5	1.2	44.2	8.6	1.2	40.2	5.3	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

<i>Queens</i> <i>Persons not of Hispanic Origin</i>	<i>Incidence</i>						<i>Mortality</i>					
	<i>Males</i>			<i>Females</i>			<i>Males</i>			<i>Females</i>		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4084.6	506.8	7.0	4266.6	390.5	5.3	1577.2	198.7	4.4	1649.8	142.4	3.1
Oral cavity and pharynx	115.0	14.0	1.2	58.6	5.6	0.6	27.8	3.4	0.6	11.6	1.0	0.3
Esophagus	58.6	7.2	0.8	27.6	2.4	0.4	47.8	5.9	0.8	18.2	1.5	0.3
Stomach	137.2	17.3	1.3	100.0	8.6	0.8	70.6	8.9	0.9	55.2	4.6	0.6
Colorectal	528.8	66.0	2.5	571.6	48.8	1.8	188.8	23.9	1.5	204.2	16.9	1.1
Colon excluding rectum	364.2	45.6	2.1	427.6	36.2	1.6	162.4	20.6	1.4	181.2	14.9	1.0
Rectum & rectosigmoid	164.6	20.3	1.4	144.0	12.6	0.9	26.4	3.3	0.6	23.0	2.0	0.4
Liver / intrahepatic bile duct	104.0	12.7	1.1	49.4	4.3	0.5	72.6	9.0	0.9	38.8	3.3	0.5
Pancreas	115.6	14.5	1.2	134.4	11.2	0.9	96.4	12.1	1.1	106.8	8.8	0.8
Larynx	58.0	7.2	0.8	14.2	1.3	0.3	19.2	2.4	0.5	4.8	0.4	0.2
Lung and bronchus	590.6	73.5	2.7	500.8	43.9	1.7	439.6	54.9	2.3	349.2	30.2	1.4
Melanoma of the skin	70.4	8.8	0.9	72.6	6.8	0.7	16.6	2.1	0.5	15.2	1.4	0.3
Female breast				1201.4	114.5	2.9				288.0	25.6	1.3
Cervix uteri				93.0	9.4	0.9				29.4	2.9	0.5
Corpus uterus and NOS				280.8	26.2	1.4				59.2	5.2	0.6
Ovary				163.2	15.5	1.1				92.0	8.2	0.8
Prostate	1187.6	146.4	3.7				179.2	23.4	1.5			
Testis	30.0	3.5	0.6				2.6	0.3	0.2			
Urinary bladder (incl. in situ)	265.6	33.6	1.8	112.6	9.4	0.8	51.4	6.6	0.8	25.4	2.0	0.4
Kidney and renal pelvis	138.0	16.9	1.3	81.8	7.4	0.7	34.2	4.3	0.6	19.2	1.6	0.3
Brain and other nervous system	54.2	6.8	0.8	53.0	5.2	0.6	28.4	3.5	0.6	29.4	2.7	0.4
Thyroid	34.8	4.2	0.6	118.8	12.6	1.0	4.0	0.5	0.2	6.4	0.5	0.2
Hodgkin lymphoma	25.6	3.1	0.5	23.4	2.6	0.5	3.2	0.4	0.2	3.2	0.3	0.2
Non-Hodgkin lymphomas	159.8	19.7	1.4	157.2	14.2	1.0	71.2	8.9	0.9	58.2	5.0	0.6
Multiple myeloma	52.4	6.5	0.8	58.4	5.1	0.6	23.2	2.9	0.5	31.2	2.6	0.4
Leukemias	104.4	13.2	1.1	95.0	8.7	0.8	59.8	7.5	0.9	54.8	4.7	0.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

*Queens
Persons of Hispanic Origin*

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	551.6	387.8	16.9	579.8	270.1	10.3	159.0	134.5	10.8	168.2	86.7	6.1
Oral cavity and pharynx	15.0	8.4	2.1	8.0	4.0	1.3	1.8	1.2	0.9	0.8	0.5	0.5
Esophagus	5.2	4.4	2.0	2.6	1.6	0.9	4.4	3.8	1.8	1.2	0.7	0.6
Stomach	26.2	19.5	3.9	20.6	11.0	2.2	11.8	9.8	2.8	12.2	6.4	1.7
Colorectal	65.0	49.1	6.2	61.8	31.3	3.6	20.2	18.2	4.1	15.6	8.7	2.0
Colon excluding rectum	45.2	35.4	5.3	40.8	20.8	3.0	16.6	15.3	3.7	13.8	7.8	1.9
Rectum & rectosigmoid	19.8	13.7	3.2	21.0	10.5	2.1	3.6	2.9	1.6	1.8	1.0	0.7
Liver / intrahepatic bile duct	17.8	12.6	3.0	8.6	4.9	1.5	11.6	9.2	2.7	5.2	3.1	1.2
Pancreas	10.4	8.1	2.5	13.0	7.3	1.8	9.2	7.2	2.4	9.4	5.3	1.6
Larynx	7.2	5.1	1.9	2.2	1.1	0.7	3.0	2.1	1.2	0.4	0.2	0.4
Lung and bronchus	50.6	38.4	5.4	32.4	16.8	2.7	30.6	25.3	4.5	20.2	10.4	2.1
Melanoma of the skin	4.0	2.3	1.2	5.8	2.5	1.0	0.8	1.0	1.1	1.4	0.8	0.6
Female breast				182.2	80.6	5.4				34.2	15.9	2.5
Cervix uteri				28.2	10.9	1.9				6.6	3.0	1.1
Corpus uterus and NOS				37.0	16.4	2.4				5.6	2.9	1.1
Ovary				21.8	9.3	1.8				8.0	3.9	1.3
Prostate	162.6	127.9	9.8				14.2	17.8	4.5			
Testis	11.0	3.4	1.1				0.2	0.1	0.1			
Urinary bladder (incl. in situ)	20.4	19.6	4.4	8.6	5.0	1.6	4.8	5.8	2.6	1.2	0.6	0.5
Kidney and renal pelvis	18.8	11.6	2.7	11.4	5.3	1.4	3.4	2.6	1.4	2.2	1.2	0.7
Brain and other nervous system	13.0	6.4	1.9	11.0	4.8	1.3	6.4	4.1	1.7	5.6	2.6	1.0
Thyroid	6.0	3.0	1.2	25.4	9.6	1.7	0.6	0.6	0.7	0.8	0.4	0.4
Hodgkin lymphoma	6.6	2.9	1.3	3.6	1.5	0.7	0.6	1.0	1.1	0.8	0.5	0.5
Non-Hodgkin lymphomas	32.2	17.6	3.3	25.0	11.9	2.2	7.6	5.5	2.1	8.8	4.6	1.4
Multiple myeloma	9.6	7.8	2.6	8.8	4.4	1.4	2.8	2.3	1.4	3.8	2.2	1.0
Leukemias	21.2	11.1	2.6	16.8	7.8	1.8	9.2	5.2	1.8	8.4	4.2	1.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Richmond (Staten Island)

Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	981.8	626.7	17.8	931.0	460.8	13.4	348.6	234.7	11.3	368.2	174.5	8.0
Oral cavity and pharynx	21.2	13.1	2.5	10.6	5.3	1.4	3.6	2.3	1.1	2.2	1.0	0.6
Esophagus	9.0	5.7	1.7	2.6	1.3	0.7	9.2	5.8	1.7	2.4	1.2	0.7
Stomach	19.6	12.7	2.6	15.2	7.1	1.6	7.4	4.8	1.6	7.2	3.3	1.1
Colorectal	123.6	80.8	6.5	114.0	53.4	4.4	44.4	30.7	4.1	43.2	19.6	2.6
Colon excluding rectum	86.4	57.1	5.5	87.8	40.9	3.9	37.6	25.9	3.8	37.0	16.8	2.4
Rectum & rectosigmoid	37.2	23.7	3.5	26.2	12.5	2.2	6.8	4.9	1.7	6.2	2.8	1.0
Liver / intrahepatic bile duct	16.0	10.2	2.3	6.4	3.0	1.1	12.2	8.1	2.0	7.6	3.6	1.1
Pancreas	26.2	16.9	2.9	27.8	12.9	2.2	24.4	15.9	2.9	24.2	11.1	2.0
Larynx	12.6	7.6	1.9	4.6	2.3	1.0	5.0	3.3	1.3	1.2	0.6	0.5
Lung and bronchus	152.6	97.5	7.0	128.0	62.2	4.8	113.6	74.3	6.2	94.0	45.2	4.1
Melanoma of the skin	22.2	13.7	2.6	21.2	11.0	2.1	4.2	2.5	1.1	4.4	2.2	0.9
Female breast				271.0	136.2	7.3				65.6	31.3	3.4
Cervix uteri				15.0	7.9	1.8				4.0	2.1	0.9
Corpus uterus and NOS				56.8	28.0	3.3				11.0	5.2	1.4
Ovary				32.2	16.2	2.5				21.2	10.2	2.0
Prostate	277.4	173.5	9.3				31.0	24.1	3.9			
Testis	13.4	8.6	2.1				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	77.8	51.9	5.3	27.4	13.3	2.2	13.0	9.5	2.4	7.0	3.3	1.1
Kidney and renal pelvis	39.6	24.4	3.4	19.0	9.6	2.0	8.4	5.6	1.7	4.8	2.3	0.9
Brain and other nervous system	13.2	8.5	2.1	12.2	6.5	1.7	6.8	4.2	1.4	5.6	2.8	1.1
Thyroid	10.2	6.1	1.7	24.6	13.7	2.4	0.4	0.2	0.3	1.4	0.6	0.4
Hodgkin lymphoma	6.2	3.8	1.4	8.2	4.7	1.4	0.6	0.4	0.4	0.6	0.3	0.4
Non-Hodgkin lymphomas	45.2	28.9	3.8	37.4	18.6	2.7	16.2	10.7	2.4	12.8	6.1	1.5
Multiple myeloma	11.4	7.6	2.0	10.6	5.0	1.3	4.0	2.7	1.2	6.2	2.8	1.0
Leukemias	24.2	15.7	2.9	23.0	11.4	2.1	12.2	8.1	2.1	11.6	5.5	1.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Richmond (Staten Island)

Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1089.6	616.9	16.7	1034.4	446.6	12.2	388.6	234.4	10.7	409.8	172.5	7.5
Oral cavity and pharynx	25.2	13.6	2.4	12.8	5.5	1.4	4.2	2.5	1.1	2.6	1.1	0.6
Esophagus	10.4	5.9	1.6	3.0	1.3	0.7	10.2	5.8	1.6	2.8	1.2	0.6
Stomach	21.4	12.4	2.4	18.4	7.8	1.6	9.0	5.1	1.5	9.0	3.7	1.1
Colorectal	131.4	76.9	6.0	124.4	52.1	4.1	48.0	30.1	3.9	48.0	19.7	2.5
Colon excluding rectum	92.0	54.4	5.1	96.8	40.5	3.6	40.4	25.1	3.5	41.8	17.2	2.4
Rectum & rectosigmoid	39.4	22.4	3.2	27.6	11.6	2.0	7.6	4.9	1.6	6.2	2.5	0.9
Liver / intrahepatic bile duct	20.6	11.4	2.2	8.0	3.3	1.0	15.6	9.0	2.0	9.2	3.8	1.1
Pancreas	28.8	16.4	2.8	31.6	13.1	2.0	26.8	15.6	2.7	28.0	11.6	1.9
Larynx	15.2	8.1	1.9	5.2	2.3	0.9	6.0	3.5	1.3	1.2	0.5	0.4
Lung and bronchus	168.4	96.2	6.6	138.2	59.2	4.4	127.4	74.5	5.9	103.2	43.9	3.8
Melanoma of the skin	25.4	13.7	2.4	22.0	9.8	1.8	4.2	2.2	0.9	4.6	2.0	0.8
Female breast				300.2	130.6	6.6				72.6	30.6	3.2
Cervix uteri				18.8	8.4	1.7				5.0	2.2	0.9
Corpus uterus and NOS				63.2	27.2	3.0				12.2	5.1	1.3
Ovary				35.4	15.4	2.3				23.4	10.0	1.8
Prostate	312.4	174.7	8.8				36.0	25.4	3.8			
Testis	14.0	7.3	1.7				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	81.0	48.9	4.9	28.4	12.1	2.0	14.4	9.5	2.2	7.8	3.2	1.0
Kidney and renal pelvis	43.4	23.3	3.1	21.6	9.5	1.8	9.0	5.4	1.6	5.6	2.4	0.9
Brain and other nervous system	15.0	8.2	1.9	13.4	6.1	1.5	7.6	4.1	1.3	5.8	2.5	0.9
Thyroid	11.2	5.7	1.5	28.8	13.2	2.2	0.4	0.2	0.3	1.4	0.5	0.4
Hodgkin lymphoma	6.4	3.4	1.2	9.2	4.3	1.3	0.6	0.3	0.4	0.6	0.3	0.3
Non-Hodgkin lymphomas	50.0	28.0	3.5	42.2	18.3	2.5	17.0	10.0	2.2	14.0	6.0	1.4
Multiple myeloma	12.4	7.4	1.9	13.4	5.6	1.4	4.0	2.4	1.1	7.2	3.0	1.0
Leukemias	28.0	16.0	2.7	25.8	11.1	1.9	13.4	7.9	1.9	12.6	5.3	1.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Nassau
Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3305.2	579.0	8.9	3352.6	477.0	7.4	1207.8	213.6	5.4	1267.6	165.8	4.2
Oral cavity and pharynx	64.8	11.6	1.3	42.2	6.0	0.8	13.6	2.4	0.6	8.6	1.2	0.4
Esophagus	41.8	7.2	1.0	17.2	2.1	0.5	38.6	6.8	1.0	14.2	1.8	0.4
Stomach	72.0	12.7	1.3	40.8	5.3	0.7	34.4	6.1	0.9	21.4	2.8	0.5
Colorectal	385.4	67.2	3.0	410.4	53.0	2.3	135.8	24.0	1.8	129.6	16.0	1.3
Colon excluding rectum	264.2	46.0	2.5	304.8	38.9	2.0	113.8	20.1	1.7	111.0	13.5	1.1
Rectum & rectosigmoid	121.2	21.2	1.7	105.6	14.1	1.2	22.0	3.9	0.7	18.6	2.5	0.5
Liver / intrahepatic bile duct	42.2	7.3	1.0	16.8	2.2	0.5	30.8	5.3	0.8	17.2	2.2	0.5
Pancreas	90.2	15.6	1.4	100.8	12.6	1.1	78.8	13.7	1.4	87.6	11.0	1.0
Larynx	38.8	6.7	1.0	11.0	1.5	0.4	10.2	1.8	0.5	3.2	0.4	0.2
Lung and bronchus	463.2	79.8	3.3	456.4	60.6	2.5	334.2	58.1	2.8	313.6	40.6	2.0
Melanoma of the skin	134.8	24.1	1.8	98.4	15.3	1.4	26.6	4.8	0.8	18.0	2.5	0.5
Female breast				1005.8	149.3	4.2				218.6	29.9	1.8
Cervix uteri				40.0	6.5	0.9				12.6	1.8	0.5
Corpus uterus and NOS				223.6	32.2	1.9				34.6	4.5	0.7
Ovary				121.2	17.7	1.4				71.6	9.6	1.0
Prostate	948.8	162.3	4.6				127.2	23.5	1.9			
Testis	30.8	7.0	1.1				1.8	0.4	0.3			
Urinary bladder (incl. in situ)	273.8	47.4	2.5	98.8	13.0	1.2	45.2	8.2	1.1	18.4	2.2	0.5
Kidney and renal pelvis	125.0	21.7	1.7	72.6	10.3	1.1	30.2	5.2	0.8	19.8	2.5	0.5
Brain and other nervous system	49.0	9.2	1.2	38.8	6.3	0.9	30.4	5.4	0.9	24.2	3.6	0.7
Thyroid	33.4	6.4	1.0	90.0	16.8	1.6	2.6	0.4	0.2	4.6	0.6	0.2
Hodgkin lymphoma	23.6	5.2	1.0	18.0	3.8	0.8	3.2	0.6	0.3	3.8	0.5	0.2
Non-Hodgkin lymphomas	143.6	25.9	1.9	133.6	18.5	1.4	57.6	10.2	1.2	52.8	6.8	0.8
Multiple myeloma	39.8	6.8	0.9	35.8	4.6	0.7	23.2	4.0	0.7	21.6	2.6	0.5
Leukemias	94.0	17.1	1.6	70.6	10.2	1.1	57.6	10.3	1.2	42.8	5.8	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Nassau

Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3729.0	584.5	8.5	3723.2	463.0	6.8	1329.6	213.8	5.2	1395.8	163.2	3.9
Oral cavity and pharynx	75.4	11.8	1.2	47.4	5.9	0.8	17.4	2.7	0.6	10.6	1.3	0.3
Esophagus	46.6	7.2	0.9	20.0	2.3	0.4	42.8	6.7	0.9	16.0	1.8	0.4
Stomach	83.8	13.4	1.3	49.0	5.7	0.7	40.4	6.5	0.9	26.0	3.0	0.5
Colorectal	431.4	67.9	2.9	454.6	52.6	2.2	150.4	24.2	1.7	143.4	16.1	1.2
Colon excluding rectum	297.6	47.1	2.4	339.6	39.1	1.9	126.0	20.3	1.6	123.0	13.7	1.1
Rectum & rectosigmoid	133.8	20.9	1.6	115.0	13.6	1.1	24.4	3.9	0.7	20.4	2.4	0.5
Liver / intrahepatic bile duct	50.2	7.7	1.0	21.4	2.5	0.5	35.4	5.5	0.8	19.2	2.2	0.4
Pancreas	100.4	15.6	1.4	111.2	12.6	1.1	87.0	13.7	1.3	96.4	11.0	1.0
Larynx	42.2	6.5	0.9	12.4	1.5	0.4	12.8	2.0	0.5	4.0	0.5	0.2
Lung and bronchus	508.8	79.3	3.1	488.0	57.6	2.3	363.8	57.4	2.7	335.6	38.9	1.9
Melanoma of the skin	140.4	22.2	1.7	103.6	13.7	1.2	27.2	4.3	0.7	18.2	2.2	0.5
Female breast				1122.6	143.9	3.8				245.6	29.8	1.7
Cervix uteri				51.4	7.0	0.9				15.6	2.0	0.4
Corpus uterus and NOS				245.0	30.6	1.7				39.0	4.6	0.6
Ovary				134.2	17.0	1.3				78.4	9.3	0.9
Prostate	1130.4	173.4	4.5				143.4	24.7	1.8			
Testis	31.6	5.8	0.9				2.2	0.4	0.2			
Urinary bladder (incl. in situ)	286.8	45.0	2.3	104.8	12.3	1.1	47.2	8.0	1.0	20.8	2.3	0.4
Kidney and renal pelvis	134.0	20.8	1.6	79.8	9.9	1.0	32.6	5.2	0.8	20.6	2.3	0.5
Brain and other nervous system	55.6	9.0	1.1	43.6	6.0	0.8	33.0	5.2	0.8	26.4	3.4	0.6
Thyroid	38.4	6.3	0.9	104.0	15.8	1.4	2.6	0.4	0.2	4.8	0.5	0.2
Hodgkin lymphoma	25.8	4.7	0.8	21.0	3.5	0.7	3.4	0.5	0.3	4.0	0.5	0.2
Non-Hodgkin lymphomas	159.0	25.5	1.8	148.6	18.3	1.3	61.8	9.9	1.1	56.8	6.6	0.8
Multiple myeloma	47.2	7.3	0.9	45.0	5.2	0.7	26.6	4.2	0.7	25.8	2.8	0.5
Leukemias	102.4	16.6	1.5	80.2	10.1	1.0	61.4	10.0	1.1	48.6	5.8	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Nassau

Persons of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	122.8	434.8	40.5	144.4	318.9	25.0	29.8	126.7	24.1	39.2	101.3	15.0
Oral cavity and pharynx	4.0	14.0	7.3	1.2	3.2	2.8	0.6	3.4	4.2	0.0	0.0	0.0
Esophagus	1.6	6.4	4.9	0.4	1.1	1.7	0.4	2.4	3.8	0.4	1.1	1.7
Stomach	5.4	19.8	8.9	4.2	9.9	4.6	1.8	5.9	4.3	1.4	3.4	2.7
Colorectal	11.6	45.1	13.6	14.2	37.5	9.2	1.8	6.4	4.8	4.0	11.3	5.2
Colon excluding rectum	6.0	27.0	11.1	9.8	26.4	7.8	1.4	5.0	4.4	3.0	8.8	4.7
Rectum & rectosigmoid	5.6	18.1	7.9	4.4	11.1	4.9	0.4	1.4	2.0	1.0	2.5	2.3
Liver / intrahepatic bile duct	1.0	4.4	4.6	2.4	6.5	3.9	0.8	3.3	4.0	1.2	2.9	2.4
Pancreas	4.0	15.6	7.8	2.8	6.9	3.8	1.8	7.0	5.0	2.2	6.2	3.9
Larynx	0.8	4.3	4.7	0.2	0.5	1.0	0.0	0.0	0.0	0.2	0.6	1.2
Lung and bronchus	12.6	48.0	13.4	9.6	26.4	7.8	8.0	34.1	12.0	5.8	15.8	6.0
Melanoma of the skin	1.6	4.2	3.4	2.6	4.8	2.8	0.0	0.0	0.0	0.2	0.4	0.7
Female breast				44.0	90.2	12.6				8.2	20.1	6.5
Cervix uteri				7.0	11.7	4.1				1.4	2.8	2.3
Corpus uterus and NOS				7.6	15.3	5.1				1.2	3.0	2.5
Ovary				6.4	14.0	5.2				2.8	7.5	4.2
Prostate	38.2	149.0	23.5				3.6	22.3	11.3			
Testis	2.8	3.7	2.2				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	5.4	26.8	11.1	1.8	5.1	3.5	1.0	5.7	5.6	0.2	0.4	0.8
Kidney and renal pelvis	4.6	13.7	6.5	3.4	6.7	3.4	0.8	3.8	4.3	0.2	0.5	1.0
Brain and other nervous system	2.6	4.5	2.7	3.8	6.6	3.3	0.8	1.1	1.1	1.2	2.7	2.4
Thyroid	1.2	2.1	1.7	7.0	10.8	3.7	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	2.6	5.2	3.6	1.6	2.8	2.1	0.4	2.2	3.1	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.2	23.8	9.2	5.4	13.2	5.3	2.2	6.9	5.5	1.0	2.7	2.4
Multiple myeloma	2.4	10.9	7.4	2.8	7.2	4.0	0.8	5.1	5.5	0.2	0.6	1.2
Leukemias	4.8	11.0	5.5	4.0	8.4	4.1	2.6	5.1	3.1	2.0	4.3	2.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Suffolk
Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3372.6	620.3	9.5	3422.4	497.7	7.5	1229.4	241.1	6.2	1312.8	184.0	4.5
Oral cavity and pharynx	75.0	13.3	1.4	39.8	5.6	0.8	17.6	3.3	0.7	10.2	1.4	0.4
Esophagus	45.4	8.2	1.1	14.2	1.9	0.5	41.0	7.5	1.1	14.6	2.0	0.5
Stomach	73.6	14.0	1.5	38.8	5.4	0.8	31.0	6.1	1.0	23.4	3.2	0.6
Colorectal	403.2	75.8	3.4	400.0	56.0	2.5	132.0	26.2	2.0	143.8	19.5	1.4
Colon excluding rectum	280.4	53.6	2.9	306.6	42.7	2.2	113.8	22.6	1.9	128.8	17.5	1.4
Rectum & rectosigmoid	122.8	22.3	1.8	93.4	13.2	1.2	18.2	3.5	0.7	15.0	2.0	0.5
Liver / intrahepatic bile duct	36.6	6.5	1.0	16.6	2.3	0.5	27.6	5.2	0.9	19.2	2.7	0.5
Pancreas	79.0	15.0	1.5	92.4	12.9	1.2	72.2	14.1	1.5	87.0	12.1	1.1
Larynx	39.8	7.2	1.0	12.2	1.8	0.4	15.4	3.0	0.7	2.6	0.4	0.2
Lung and bronchus	494.6	92.4	3.7	486.4	69.7	2.8	366.8	69.9	3.3	336.6	47.6	2.3
Melanoma of the skin	112.0	20.3	1.7	88.8	13.5	1.3	25.6	4.8	0.8	16.6	2.4	0.5
Female breast				1035.6	151.9	4.2				221.0	31.2	1.9
Cervix uteri				54.6	8.5	1.0				16.0	2.4	0.5
Corpus uterus and NOS				222.4	32.1	1.9				32.4	4.5	0.7
Ovary				112.6	16.6	1.4				69.0	9.9	1.1
Prostate	960.4	172.4	5.0				107.8	24.4	2.1			
Testis	49.6	9.2	1.2				2.2	0.4	0.2			
Urinary bladder (incl. in situ)	283.4	53.8	2.9	101.0	14.1	1.2	52.2	10.9	1.4	17.8	2.3	0.5
Kidney and renal pelvis	128.4	22.6	1.8	74.4	10.9	1.1	33.4	6.2	1.0	19.2	2.7	0.5
Brain and other nervous system	56.6	10.0	1.2	48.0	7.5	1.0	25.8	4.5	0.8	24.0	3.5	0.6
Thyroid	43.8	7.4	1.0	107.4	17.4	1.5	3.0	0.6	0.3	3.8	0.5	0.2
Hodgkin lymphoma	22.8	4.2	0.8	24.2	4.4	0.8	3.8	0.7	0.3	4.0	0.7	0.3
Non-Hodgkin lymphomas	134.2	24.4	1.9	123.0	17.9	1.4	50.2	9.6	1.2	45.4	6.4	0.8
Multiple myeloma	40.8	7.8	1.1	33.0	4.6	0.7	24.0	4.8	0.9	18.0	2.4	0.5
Leukemias	95.8	18.4	1.7	74.0	10.7	1.1	52.8	10.2	1.3	42.6	6.0	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Suffolk

Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3623.4	618.3	9.2	3652.2	489.6	7.1	1318.4	241.7	6.0	1401.4	183.2	4.3
Oral cavity and pharynx	80.8	13.2	1.3	43.8	5.8	0.8	19.2	3.3	0.7	10.6	1.4	0.4
Esophagus	48.6	8.2	1.1	15.8	2.0	0.4	45.0	7.7	1.0	16.0	2.1	0.5
Stomach	81.2	14.4	1.4	45.6	5.9	0.8	37.0	6.7	1.0	25.6	3.3	0.6
Colorectal	428.0	75.0	3.3	426.8	55.8	2.4	141.8	26.4	2.0	151.6	19.4	1.4
Colon excluding rectum	297.8	53.0	2.8	327.0	42.6	2.1	122.4	22.9	1.9	136.6	17.5	1.3
Rectum & rectosigmoid	130.2	22.0	1.7	99.8	13.2	1.2	19.4	3.5	0.7	15.0	1.9	0.4
Liver / intrahepatic bile duct	40.2	6.6	0.9	19.6	2.6	0.5	29.6	5.2	0.9	22.0	2.9	0.5
Pancreas	85.8	15.2	1.5	99.0	12.9	1.1	77.0	14.0	1.4	93.0	12.1	1.1
Larynx	42.4	7.1	1.0	13.6	1.8	0.4	16.8	3.0	0.7	3.2	0.4	0.2
Lung and bronchus	523.6	91.2	3.6	510.6	67.9	2.6	393.2	69.9	3.2	354.6	46.7	2.2
Melanoma of the skin	117.0	19.6	1.6	91.4	12.6	1.2	25.6	4.5	0.8	17.0	2.3	0.5
Female breast				1103.0	148.5	3.9				239.0	31.4	1.8
Cervix uteri				65.4	9.2	1.0				19.6	2.7	0.5
Corpus uterus and NOS				233.6	31.0	1.8				36.8	4.8	0.7
Ovary				119.4	16.1	1.3				72.0	9.5	1.0
Prostate	1065.8	177.9	4.9				120.8	25.8	2.1			
Testis	50.6	8.2	1.0				2.2	0.4	0.2			
Urinary bladder (incl. in situ)	291.0	51.7	2.7	103.8	13.5	1.2	53.8	10.6	1.3	18.2	2.3	0.5
Kidney and renal pelvis	133.6	21.8	1.7	77.4	10.5	1.0	34.6	6.0	0.9	20.6	2.7	0.5
Brain and other nervous system	60.8	9.8	1.1	51.8	7.4	0.9	27.8	4.5	0.8	26.0	3.5	0.6
Thyroid	44.8	6.9	0.9	114.0	16.4	1.4	3.2	0.5	0.3	4.8	0.6	0.2
Hodgkin lymphoma	24.2	4.0	0.7	25.6	4.0	0.7	4.0	0.7	0.3	4.2	0.6	0.3
Non-Hodgkin lymphomas	144.8	24.3	1.8	131.6	17.7	1.4	53.4	9.5	1.2	47.0	6.2	0.8
Multiple myeloma	44.6	7.8	1.1	37.8	5.0	0.7	25.0	4.7	0.9	20.4	2.6	0.5
Leukemias	100.6	17.9	1.6	79.4	10.6	1.1	54.4	9.8	1.2	44.8	5.9	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Suffolk
Persons of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	153.6	459.5	37.9	139.8	296.7	23.7	42.4	157.4	24.1	43.2	103.6	14.7
Oral cavity and pharynx	3.0	7.0	3.9	0.6	1.4	1.7	0.6	1.7	2.0	0.0	0.0	0.0
Esophagus	2.4	9.4	6.0	1.0	2.9	2.6	2.0	7.2	5.1	0.4	1.4	2.0
Stomach	7.8	22.1	8.5	3.4	8.9	4.5	3.0	12.3	7.2	2.2	5.4	3.4
Colorectal	19.6	68.5	15.4	12.8	31.7	8.2	6.2	25.9	10.1	4.4	9.6	4.3
Colon excluding rectum	13.0	46.8	13.0	11.0	27.1	7.6	5.2	22.6	9.7	4.0	8.6	4.1
Rectum & rectosigmoid	6.6	21.7	8.3	1.8	4.6	3.1	1.0	3.3	3.0	0.4	1.0	1.4
Liver / intrahepatic bile duct	3.0	6.3	3.6	0.6	2.0	2.2	1.8	6.0	4.5	1.4	4.0	3.0
Pancreas	5.0	19.5	8.4	3.6	9.5	4.5	3.4	14.3	7.5	2.8	6.9	3.8
Larynx	2.4	7.0	4.8	0.2	0.3	0.6	0.4	1.9	2.9	0.2	0.4	0.8
Lung and bronchus	12.8	46.7	12.6	10.2	26.3	7.6	9.6	36.4	11.3	4.4	11.8	5.2
Melanoma of the skin	2.0	6.3	4.9	1.8	3.6	2.5	0.2	1.1	2.2	0.0	0.0	0.0
Female breast				40.2	80.5	11.9				6.0	14.2	5.3
Cervix uteri				6.2	10.6	4.0				2.2	3.8	2.5
Corpus uterus and NOS				8.2	15.2	4.9				2.8	6.6	3.7
Ovary				5.8	12.1	4.7				2.8	5.8	3.1
Prostate	46.0	151.6	21.7				3.4	16.0	8.1			
Testis	3.4	3.3	1.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	7.0	22.2	8.5	1.2	3.9	3.2	1.0	4.7	4.4	0.6	1.4	1.6
Kidney and renal pelvis	4.8	10.7	4.7	4.4	9.8	4.4	0.6	2.9	3.6	0.8	2.6	2.6
Brain and other nervous system	4.2	5.9	3.4	3.2	6.4	3.5	1.4	2.1	1.7	0.8	1.8	1.9
Thyroid	0.6	0.7	1.0	7.0	10.2	3.6	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.2	1.4	1.2	1.4	2.2	1.8	0.2	0.4	0.8	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.6	18.7	6.7	7.4	15.5	5.3	1.8	6.2	4.6	2.4	5.7	3.5
Multiple myeloma	2.0	9.4	6.5	2.0	4.6	3.0	1.0	3.4	3.6	0.8	2.4	2.4
Leukemias	7.6	15.7	6.1	5.2	9.6	4.2	2.0	4.0	3.0	2.0	3.6	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Westchester

Non-Hispanic Whites

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1985.0	580.3	11.5	2014.4	460.6	9.3	723.8	213.2	7.0	770.4	158.3	5.1
Oral cavity and pharynx	43.4	12.7	1.7	25.2	5.6	1.0	8.4	2.5	0.7	6.6	1.3	0.4
Esophagus	22.8	6.7	1.2	11.0	2.3	0.6	22.4	6.6	1.2	10.4	2.2	0.6
Stomach	42.6	12.5	1.7	28.6	5.7	1.0	23.8	7.0	1.3	17.4	3.3	0.7
Colorectal	233.6	68.0	3.9	228.6	46.6	2.8	79.4	23.4	2.3	87.8	16.8	1.6
Colon excluding rectum	167.6	48.7	3.3	178.8	35.8	2.4	69.8	20.5	2.2	77.6	14.8	1.5
Rectum & rectosigmoid	66.0	19.3	2.1	49.8	10.8	1.4	9.6	2.8	0.8	10.2	2.1	0.6
Liver / intrahepatic bile duct	23.6	6.9	1.2	14.4	3.0	0.7	19.0	5.5	1.1	12.8	2.5	0.6
Pancreas	51.6	15.0	1.8	57.8	11.8	1.4	48.4	14.1	1.8	49.4	9.9	1.3
Larynx	24.2	6.9	1.2	4.6	1.0	0.4	5.6	1.6	0.6	1.6	0.3	0.2
Lung and bronchus	256.0	73.8	4.1	266.6	57.4	3.1	191.0	55.3	3.5	177.4	37.1	2.5
Melanoma of the skin	76.8	22.5	2.3	47.4	11.4	1.5	13.2	3.9	0.9	9.4	2.1	0.6
Female breast				618.0	148.0	5.3				122.4	25.9	2.1
Cervix uteri				21.4	5.9	1.1				6.6	1.6	0.6
Corpus uterus and NOS				130.8	30.5	2.4				21.2	4.2	0.8
Ovary				76.0	18.0	1.9				51.0	11.1	1.4
Prostate	587.4	167.4	6.1				85.6	25.9	2.5			
Testis	21.6	8.3	1.6				0.6	0.2	0.2			
Urinary bladder (incl. in situ)	168.0	48.8	3.3	69.8	14.7	1.6	28.2	8.4	1.4	14.2	2.6	0.6
Kidney and renal pelvis	67.0	19.3	2.1	38.4	8.8	1.3	16.2	4.7	1.0	10.4	2.1	0.6
Brain and other nervous system	35.0	11.0	1.7	27.6	7.3	1.3	19.2	5.7	1.1	17.2	4.3	0.9
Thyroid	20.6	6.4	1.3	59.4	18.0	2.1	1.2	0.4	0.3	2.2	0.4	0.3
Hodgkin lymphoma	15.8	5.8	1.3	11.4	3.8	1.0	1.8	0.7	0.4	2.0	0.5	0.3
Non-Hodgkin lymphomas	88.8	26.5	2.5	88.6	19.8	1.9	33.0	9.8	1.5	32.8	6.4	1.0
Multiple myeloma	27.6	8.1	1.4	18.4	3.7	0.8	17.0	5.0	1.1	11.6	2.3	0.6
Leukemias	68.2	20.7	2.2	46.0	10.2	1.4	41.6	12.7	1.7	25.2	5.1	0.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Westchester

Persons not of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2391.4	598.6	10.8	2395.8	453.4	8.3	856.8	220.3	6.6	904.4	158.7	4.7
Oral cavity and pharynx	53.6	13.2	1.6	31.6	5.9	0.9	12.4	3.1	0.8	8.2	1.4	0.4
Esophagus	30.6	7.7	1.2	14.6	2.6	0.6	27.0	6.8	1.2	12.4	2.2	0.6
Stomach	52.0	13.2	1.6	35.2	6.0	0.9	29.4	7.5	1.2	22.0	3.7	0.7
Colorectal	274.4	69.1	3.7	275.2	47.9	2.6	93.0	24.0	2.2	103.0	17.0	1.5
Colon excluding rectum	197.8	50.1	3.1	216.0	37.2	2.3	81.2	21.0	2.1	91.2	15.0	1.4
Rectum & rectosigmoid	76.6	19.1	1.9	59.2	10.7	1.2	11.8	3.0	0.8	11.8	2.0	0.5
Liver / intrahepatic bile duct	33.4	8.3	1.3	18.6	3.3	0.7	24.4	6.1	1.1	16.2	2.7	0.6
Pancreas	60.6	15.2	1.7	69.4	12.1	1.3	56.8	14.3	1.7	58.4	10.0	1.2
Larynx	31.0	7.5	1.2	5.8	1.1	0.4	7.6	1.9	0.6	2.6	0.5	0.3
Lung and bronchus	299.6	74.9	3.8	301.8	54.9	2.8	224.0	56.6	3.3	201.8	35.9	2.2
Melanoma of the skin	84.0	20.9	2.0	52.2	10.2	1.3	13.4	3.4	0.8	9.4	1.7	0.5
Female breast				736.8	143.9	4.7				147.6	26.6	2.0
Cervix uteri				32.8	7.0	1.1				10.0	2.0	0.6
Corpus uterus and NOS				155.4	29.8	2.1				28.8	5.0	0.8
Ovary				87.6	17.0	1.6				58.0	10.6	1.2
Prostate	758.0	185.4	5.9				106.8	28.8	2.5			
Testis	24.4	7.0	1.3				0.6	0.2	0.2			
Urinary bladder (incl. in situ)	181.6	46.1	3.0	77.0	13.7	1.4	30.8	8.2	1.3	16.8	2.7	0.6
Kidney and renal pelvis	79.6	19.6	1.9	47.2	9.0	1.2	18.8	4.8	1.0	12.4	2.2	0.5
Brain and other nervous system	38.0	9.9	1.4	32.0	6.7	1.1	20.4	5.1	1.0	17.8	3.6	0.8
Thyroid	24.8	6.3	1.1	73.8	16.9	1.8	1.6	0.4	0.3	2.8	0.5	0.3
Hodgkin lymphoma	19.4	5.5	1.1	15.0	3.8	0.9	2.0	0.6	0.4	2.2	0.4	0.3
Non-Hodgkin lymphomas	104.4	26.4	2.3	102.0	19.1	1.7	39.6	10.2	1.4	35.6	6.0	0.9
Multiple myeloma	36.8	9.3	1.3	26.4	4.7	0.8	22.2	5.7	1.1	14.4	2.5	0.6
Leukemias	76.4	19.8	2.0	52.8	9.9	1.2	46.6	12.3	1.6	28.0	4.9	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname

New York State Department of Health, New York State Cancer Registry
Table 5. Cancer Incidence and Mortality by Gender and Ethnicity, 1999-2003

Westchester

Persons of Hispanic Origin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	128.4	447.9	41.8	131.4	302.0	25.1	38.0	152.2	25.4	37.6	99.5	15.4
Oral cavity and pharynx	4.2	12.0	6.4	1.4	3.0	2.4	0.8	1.7	1.7	0.2	0.5	1.0
Esophagus	1.4	5.1	4.6	0.6	1.5	1.8	0.6	1.7	2.1	0.4	1.3	1.8
Stomach	5.4	19.3	9.2	3.8	9.7	4.7	3.0	11.9	7.3	3.0	7.8	4.3
Colorectal	15.0	56.3	15.3	12.8	34.3	8.9	4.8	18.3	8.2	4.0	12.5	5.7
Colon excluding rectum	8.8	32.9	11.4	8.0	22.8	7.5	4.2	16.3	7.8	3.8	11.7	5.5
Rectum & rectosigmoid	6.2	23.4	10.2	4.8	11.5	4.9	0.6	2.0	2.6	0.2	0.8	1.5
Liver / intrahepatic bile duct	4.8	17.2	8.4	1.0	2.8	2.6	3.6	14.1	7.6	0.6	2.0	2.3
Pancreas	2.8	13.8	8.4	3.4	10.0	5.0	3.0	15.7	9.2	3.0	10.0	5.3
Larynx	2.2	7.9	5.3	0.4	0.9	1.4	0.2	1.2	2.4	0.0	0.0	0.0
Lung and bronchus	11.2	51.4	15.3	7.6	19.1	6.4	8.0	32.1	11.2	2.6	7.2	4.1
Melanoma of the skin	1.8	4.9	3.7	1.0	2.9	2.7	0.2	0.5	1.0	0.0	0.0	0.0
Female breast				39.4	82.1	12.3				7.0	16.6	6.0
Cervix uteri				6.4	11.9	4.5				1.0	1.9	1.9
Corpus uterus and NOS				8.8	22.3	7.1				1.4	4.5	3.5
Ovary				4.8	9.7	4.1				1.4	3.1	2.4
Prostate	41.8	156.4	23.8				2.8	16.6	9.5			
Testis	2.6	3.0	1.7				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	5.8	26.4	11.1	2.4	6.7	4.1	1.0	3.3	3.3	0.4	1.2	1.9
Kidney and renal pelvis	4.2	13.1	6.5	3.0	6.5	3.6	1.0	3.6	3.4	1.0	2.0	1.9
Brain and other nervous system	2.4	5.9	4.1	3.4	6.3	3.1	0.8	3.2	3.6	1.6	3.0	2.2
Thyroid	2.0	3.4	2.3	6.8	12.0	4.5	0.0	0.0	0.0	0.2	0.8	1.6
Hodgkin lymphoma	2.4	4.3	3.2	0.8	1.3	1.3	0.6	3.0	4.1	0.4	0.6	0.8
Non-Hodgkin lymphomas	5.6	16.5	8.5	5.4	13.6	5.5	2.4	7.0	5.1	1.8	4.7	3.4
Multiple myeloma	0.6	1.2	1.4	1.8	5.2	3.6	0.4	2.3	3.7	1.0	3.3	3.0
Leukemias	4.4	10.5	6.7	2.6	4.6	2.9	1.2	3.8	4.4	1.4	1.9	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

Hispanic Origin is determined based on the medical record, death certificate, country of birth and surname